Annex 2

Waterbird species to which the Agreement applies¹

Family ANATIDAE (ducks, geese, swans)

| Dendrocygna viduata | White-faced Whistling-duck |
|-----------------------------|-----------------------------|
| Dendrocygna bicolor | Fulvous Whistling-duck |
| Thalassornis leuconotus | White-backed Duck |
| Oxyura maccoa | Maccoa Duck |
| Oxyura leucocephala | White-headed Duck |
| Cygnus olor | Mute Swan |
| | |
| Cygnus cygnus | Whooper Swan Tundra Swan |
| Cygnus columbianus | Brent Goose |
| Branta bernicla | |
| Branta leucopsis | Barnacle Goose |
| Branta ruficollis | Red-breasted Goose |
| Anser anser | Greylag Goose |
| Anser fabalis | Bean Goose |
| Anser brachyrhynchus | Pink-footed Goose |
| Anser albifrons | Greater White-fronted Goose |
| Anser erythropus | Lesser White-fronted Goose |
| Clangula hyemalis | Long-tailed Duck |
| Somateria spectabilis | King Eider |
| Somateria mollissima | Common Eider |
| Polysticta stelleri | Steller's Eider |
| Melanitta fusca | Velvet Scoter |
| Melanitta nigra | Common Scoter |
| Bucephala clangula | Common Goldeneye |
| Mergellus albellus | Smew |
| Mergus merganser | Goosander |
| Mergus serrator | Red-breasted Merganser |
| Alopochen aegyptiaca | Egyptian Goose |
| Tadorna tadorna | Common Shelduck |
| Tadorna ferruginea | Ruddy Shelduck |
| Tadorna cana | South African Shelduck |
| Plectropterus gambensis | Spur-winged Goose |
| Sarkidiornis melanotos | African Comb Duck |
| Nettapus auritus | African Pygmy-goose |
| Marmaronetta angustirostris | Marbled Teal |
| Netta rufina | Red-crested Pochard |
| Netta erythrophthalma | Southern Pochard |
| Aythya ferina | Common Pochard |
| Aythya nyroca | Ferruginous Pochard |
| Aythya fuligula | Tufted Duck |
| Aythya marila | Greater Scaup |
| Spatula querquedula | Garganey |
| Spatula hottentota | Hottentot Teal |
| Spatula clypeata | Northern Shoveler |
| Mareca strepera | Gadwall |
| Mareca penelope | Eurasian Wigeon |
| | |

¹ As amended by the 6th Session of the Meeting of the Parties to AEWA, 9 - 14 November 2015, Bonn, Germany.

| Anas undulata | Yellow-billed Duck |
|---------------------|--------------------|
| Anas platyrhynchos | Mallard |
| Anas capensis | Cape Teal |
| Anas erythrorhyncha | Red-billed Teal |
| Anas acuta | Northern Pintail |
| Anas crecca | Common Teal |
| | |

Family PODICIPEDIDAE (grebes)

| Tachybaptus ruficollis | Little Grebe |
|------------------------|---------------------|
| Podiceps grisegena | Red-necked Grebe |
| Podiceps cristatus | Great Crested Grebe |
| Podiceps auritus | Horned Grebe |
| Podiceps nigricollis | Black-necked Grebe |

Family PHOENICOPTERIDAE (flamingos)

| Phoenicopterus roseus | Greater Flamingo |
|-----------------------|------------------|
| Phoeniconaias minor | Lesser Flamingo |

Family PHAETHONTIDAE (tropicbirds)

| Phaethon aetheras | Red-billed Tropicbird |
|---------------------|-------------------------|
| Phaethon rubricauda | Red-tailed Tropicbird |
| Phaethon lepturus | White-tailed Tropicbird |

Family RALLIDAE (rails, gallinules, coots)

| Sarothrura elegans Sarothrura boehmi Sarothrura ayresi Rallus aquaticus Rallus caerulescens Crex egregia Crex crex Porzana porzana Zapornia flavirostra Zapornia parva Zapornia pusilla | Buff-spotted Flufftail Streaky-breasted Flufftail White-winged Flufftail Western Water Rail African Rail African Crake Corncrake Spotted Crake Black Crake Little Crake Baillon's Crake Striped Crake |
|---|--|
| Zapornia parva | Little Crake |
| Zapornia pusilla Amaurornis marginalis Porphyrio alleni | Baillon's Crake Striped Crake Allen's Gallinule |
| Gallinula chloropus Gallinula angulata Fulica cristata | Common Moorhen Lesser Moorhen Red-knobbed Coot |
| Fulica atra | Common Coot |

Family GRUIDAE (cranes)

| Balearica regulorum | Grey Crowned-crane |
|---------------------------|---------------------|
| Balearica pavonina | Black Crowned-crane |
| Leucogeranus leucogeranus | Siberian Crane |
| Bugeranus carunculatus | Wattled Crane |
| Anthropoides paradiseus | Blue Crane |
| Anthropoides virgo | Demoiselle Crane |
| Grus grus | Common Crane |

Family GAVIIDAE (loons / divers)

Red-throated Loon Black-throated Loon Common Loon Yellow-billed Loon

Family SPHENISCIDAE (penguins)

Spheniscus demersus

African Penguin

Family CICONIIDAE (storks)

| Leptoptilos crumenifer | Marabou |
|------------------------|---------------------|
| Mycteria ibis | Yellow-billed Stork |
| Anastomus lamelligerus | African Openbill |
| Ciconia nigra | Black Stork |
| Ciconia abdimii | Abdim's Stork |
| Ciconia microscelis | African Woollyneck |
| Ciconia ciconia | White Stork |
| | |

Family THRESKIORNITHIDAE (ibises, spoonbills)

| Platalea alba | African Spoonbill |
|--------------------------|---------------------|
| Platalea leucorodia | Eurasian Spoonbill |
| Threskiornis aethiopicus | African Sacred Ibis |
| Geronticus eremita | Northern Bald Ibis |
| Plegadis falcinellus | Glossy Ibis |

Family ARDEIDAE (herons)

Botaurus stellaris Ixobrychus minutus Ixobrychus sturmii *Nycticorax nycticorax* Ardeola ralloides Ardeola idae Ardeola rufiventris Bubulcus ibis Ardea cinerea Ardea melanocephala Ardea purpurea Ardea alba Ardea brachyrhyncha Egretta ardesiaca Egretta vinaceigula Egretta garzetta Egretta gularis

Eurasian Bittern Common Little Bittern Dwarf Bittern Black-crowned Night-heron Squacco Heron Madagascar Pond-heron Rufous-bellied Heron Cattle Egret Grey Heron Black-headed Heron Purple Heron Great White Egret Yellow-billed Egret Black Heron Slaty Egret Little Egret Western Reef-egret

Family BALAENICIPITIDAE (shoebill)

Balaeniceps rex

Shoebill

Family PELECANIDAE (pelicans)

| Pelecanus crispus | Dalmatian Pelican |
|-----------------------|---------------------|
| Pelecanus rufescens | Pink-backed Pelican |
| Pelecanus onocrotalus | Great White Pelican |

Family FREGATIDAE (frigatebirds)

| Fregata ariel | Lesser Frigatebird |
|---------------|--------------------|
| Fregata minor | Great Frigatebird |

Family SULIDAE (gannets, boobies)

| Morus bassanus | Northern Gannet |
|-----------------|-----------------|
| Morus capensis | Cape Gannet |
| Sula dactylatra | Masked Booby |

Family PHALACROCORACIDAE (cormorants)

| Microcarbo coronatus | Crowned Cormorant |
|--|-------------------------------------|
| Microcarbo pygmaeus | Pygmy Cormorant |
| Phalacrocorax carbo | Great Cormorant |
| Phalacrocorax capensis | Cape Cormorant |
| Phalacrocorax nigrogularis | Socotra Cormorant |
| Phalacrocorax neglectus | Bank Cormorant |
| Phalacrocorax capensis Phalacrocorax nigrogularis | Cape Cormorant Socotra Cormorant |

Family BURHINIDAE (thick-knees)

Burhinus senegalensis

Senegal Thick-knee

Family PLUVIANIDAE (Egyptian plover)

Pluvianus aegyptius

Egyptian Plover

Family HAEMATOPODIDAE (oystercatchers)

| Haematopus moquini | African Oystercatcher |
|-----------------------|------------------------|
| Haematopus ostralegus | Eurasian Oystercatcher |

Family RECURVIROSTRIDAE (avocets, stilts)

| Recurvirostra avosetta | Pied Avocet |
|------------------------|--------------------|
| Himantopus himantopus | Black-winged Stilt |

Family CHARADRIIDAE (plovers)

| Pluvialis squatarola | Grey Plover |
|------------------------|-----------------------------|
| Pluvialis apricaria | Eurasian Golden Plover |
| Pluvialis fulva | Pacific Golden Plover |
| Eudromias morinellus | Eurasian Dotterel |
| Charadrius hiaticula | Common Ringed Plover |
| Charadrius dubius | Little Ringed Plover |
| Charadrius pecuarius | Kittlitz's Plover |
| Charadrius tricollaris | African Three-banded Plover |
| Charadrius forbesi | Forbes's Plover |

Charadrius marginatus Charadrius alexandrinus Charadrius pallidus Charadrius mongolus Charadrius leschenaultii Charadrius asiaticus Vanellus vanellus Vanellus spinosus Vanellus albiceps Vanellus lugubris Vanellus melanopterus Vanellus coronatus Vanellus senegallus Vanellus superciliosus Vanellus gregarius Vanellus leucurus

White-fronted Plover Kentish Plover Chestnut-banded Plover Lesser Sandplover Greater Sandplover **Caspian Plover** Northern Lapwing Spur-winged Lapwing White-headed Lapwing Senegal Lapwing Black-winged Lapwing Crowned Lapwing Wattled Lapwing Brown-chested Lapwing Sociable Lapwing White-tailed Lapwing

Family SCOLOPACIDAE (sandpipers, snipes, phalaropes)

Numenius phaeopus Numenius tenuirostris Numenius arquata Limosa lapponica Limosa limosa Arenaria interpres *Calidris tenuirostris* Calidris canutus *Calidris pugnax* Calidris falcinellus Calidris ferruginea Calidris temminckii Calidris alba Calidris alpina Calidris maritima Calidris minuta Scolopax rusticola Gallinago stenura Gallinago media Gallinago gallinago *Lymnocryptes minimus* Phalaropus lobatus Phalaropus fulicarius Xenus cinereus Actitis hypoleucos Tringa ochropus Tringa erythropus Tringa nebularia Tringa totanus Tringa glareola Tringa stagnatilis

Whimbrel Slender-billed Curlew **Eurasian Curlew** Bar-tailed Godwit Black-tailed Godwit Ruddy Turnstone Great Knot Red Knot Ruff Broad-billed Sandpiper Curlew Sandpiper Temminck's Stint Sanderling Dunlin Purple Sandpiper Little Stint Eurasian Woodcock Pintail Snipe Great Snipe **Common Snipe** Jack Snipe **Red-necked Phalarope Red Phalarope** Terek Sandpiper **Common Sandpiper** Green Sandpiper Spotted Redshank Common Greenshank Common Redshank Wood Sandpiper Marsh Sandpiper

Family DROMADIDAE (crab-plover)

Dromas ardeola

Crab-plover

Family GLAREOLIDAE (coursers, pratincoles)

| Glareola pratincola | Collared Pratincole |
|---------------------|-------------------------|
| Glareola nordmanni | Black-winged Pratincole |
| Glareola ocularis | Madagascar Pratincole |
| Glareola nuchalis | Rock Pratincole |
| Glareola cinerea | Grey Pratincole |
| | |

Family LARIDAE (gulls, terns, skimmers)

| Anous stolidus | Brown Noddy |
|-------------------------|--------------------------|
| Anous tenuirostris | Lesser Noddy |
| Rynchops flavirostris | African Skimmer |
| Hydrocoloeus minutus | Little Gull |
| Xema sabini | Sabine's Gull |
| Rissa tridactyla | Black-legged Kittiwake |
| Larus genei | Slender-billed Gull |
| Larus ridibundus | Black-headed Gull |
| Larus hartlaubii | Hartlaub's Gull |
| Larus cirrocephalus | Grey-headed Gull |
| Larus ichthyaetus | Pallas's Gull |
| Larus melanocephalus | Mediterranean Gull |
| Larus hemprichii | Sooty Gull |
| Larus leucophthalmus | White-eyed Gull |
| Larus audouinii | Audouin's Gull |
| Larus canus | Mew Gull |
| Larus dominicanus | Kelp Gull |
| Larus fuscus | Lesser Black-backed Gull |
| Larus argentatus | European Herring Gull |
| Larus armenicus | Armenian Gull |
| Larus michahellis | Yellow-legged Gull |
| Larus cachinnans | Caspian Gull |
| Larus glaucoides | Iceland Gull |
| Larus hyperboreus | Glaucous Gull |
| Larus marinus | Great Black-backed Gull |
| Onychoprion fuscatus | Sooty Tern |
| Onychoprion anaethetus | Bridled Tern |
| Sternula albifrons | Little Tern |
| Sternula saundersi | Saunders's Tern |
| Sternula balaenarum | Damara Tern |
| Gelochelidon nilotica | Common Gull-billed Tern |
| Hydroprogne caspia | Caspian Tern |
| Chlidonias hybrida | Whiskered Tern |
| Chlidonias leucopterus | White-winged Tern |
| Chlidonias niger | Black Tern |
| Sterna dougallii | Roseate Tern |
| Sterna hirundo | Common Tern |
| Sterna repressa | White-cheeked Tern |
| Sterna paradisaea | Arctic Tern |
| Sterna vittata | Antarctic Tern |
| Thalasseus bengalensis | Lesser Crested Tern |
| Thalasseus sandvicensis | Sandwich Tern |
| Thalasseus maximus | Royal Tern |
| Thalasseus bergii | Greater Crested Tern |
| | |

Family STERCORARIIDAE (skuas)

| Stercorarius longicaudus | Long-tailed Jaeger |
|--------------------------|--------------------|
| Catharacta skua | Great Skua |

Family ALCIDAE (auks)

Fratercula arctica Cepphus grylle Alca torda Alle alle Uria lomvia Uria aalge Atlantic Puffin Black Guillemot Razorbill Little Auk Thick-billed Murre Common Murre

Annex 3

ACTION PLAN²

1. Field of Application

- 1.1 The Action Plan is applicable to the populations of migratory waterbirds listed in Table 1 to this Annex (hereafter referred to as "Table 1").
- 1.2 Table 1 forms an integral part of this Annex. Any reference to this Action Plan includes a reference to Table 1.

2. Species Conservation

2.1 Legal measures

- 2.1.1 Parties with populations listed in Column A of Table 1 shall provide protection to those populations listed in accordance with Article III, paragraph 2(a), of this Agreement. Such Parties shall in particular and subject to paragraph 2.1.3 below:
 - (a) prohibit the taking of birds and eggs of those populations occurring in their territory;
 - (b) prohibit deliberate disturbance in so far as such disturbance would be significant for the conservation of the population concerned; and
 - (c) prohibit the possession or utilization of, and trade in, birds or eggs of those populations which have been taken in contravention of the prohibitions laid down pursuant to subparagraph (a) above, as well as the possession or utilization of, and trade in, any readily recognizable parts or derivatives of such birds and their eggs.

By way of exception for those populations listed in Categories 2 and 3 in Column A and which are marked by an asterisk, and those populations listed in Category 4 in Column A, hunting may continue on a sustainable use basis³. This sustainable use shall be conducted within the framework of an international species action plan, through which Parties will endeavour to implement the principles of adaptive harvest management.⁴ Such use shall, as a minimum, be subject to the same legal measures as the taking of birds from populations listed in Column B of Table 1, as required in paragraph 2.1.2 below.

2.1.2 Parties with populations listed in Table 1 shall regulate the taking of birds and eggs of all populations listed in Column B of Table 1. The object of such legal measures shall be to maintain or contribute to the restoration of those populations to a favourable conservation status and to ensure, on the basis of the best available knowledge of population dynamics, that any taking or other use is sustainable. Such legal measures, subject to paragraph 2.1.3 below, shall in particular:

² As amended by the 6th Session of the Meeting of the Parties to AEWA, 9 - 14 November 2015, Bonn, Germany.

³ "**Sustainable use**" means the use of components of biological diversity in a way and at a rate that does not lead to the long-term decline of biological diversity, thereby maintaining its potential to meet the needs and aspirations of present and future generations.

⁴ Adaptive harvest management is the periodic process of setting hunting regulations based on a system of population and habitat monitoring, havest-level recording, data analysis and defining regulatory options.

- (a) prohibit the taking of birds belonging to the populations concerned during their various stages of reproduction and rearing and during their return to their breeding grounds if the taking has an unfavourable impact on the conservation status of the population concerned;
- (b) regulate the modes of taking, and in particular prohibit the use of all indiscriminate means of taking and the use of all means capable of causing mass destructions, as well as local disappearance of, or serious disturbance to, populations of a species, including:
 - snares,
 - limes,
 - hooks,
 - live birds which are blind or mutilated used as decoys,
 - tape recorders and other electronic devices,
 - electrocuting devices,
 - artificial light sources,
 - mirrors and other dazzling devices,
 - devices for illuminating targets,
 - sighting devices for night shooting comprising an electronic image magnifier or image converter,
 - explosives,
 - nets,
 - traps,
 - poison,
 - poisoned or anesthetic baits,
 - semi-automatic or automatic weapons with a magazine capable of holding more than two rounds of ammunition, hunting from aircraft, motor vehicles, or boats driven at a speed exceeding 5 km p/h (18 km p/h on the open sea).

Parties may grant exemptions from the prohibitions laid down in paragraph 2.1.2 (b) to accommodate use for livelihood purposes, where sustainable;

- (c) establish limits on taking, where appropriate, and provide adequate controls to ensure that these limits are observed; and
- (d) prohibit the possession or utilization of, and trade in, birds and eggs of the populations which have been taken in contravention of any prohibition laid down pursuant to the provisions of this paragraph, as well as the possession or utilization of, and trade in, any readily recognizable parts or derivatives of such birds and their eggs.
- 2.1.3 Parties may grant exemptions to the prohibitions laid down in paragraphs 2.1.1 and 2.1.2, irrespective of the provisions of Article III, paragraph 5, of the Convention, where there is no other satisfactory solution, for the following purposes:
 - (a) to prevent serious damage to crops, water and fisheries;
 - (b) in the interests of air safety, public health and public safety, or for other imperative reasons of overriding public interest, including those of a social or economic nature and beneficial consequences of primary importance to the environment;
 - (c) for the purpose of research and education, of re-establishment and for the breeding necessary for these purposes;
 - (d) to permit under strictly supervised conditions, on a selective basis and to a limited extent, the taking and keeping or other judicious use of certain birds in small numbers; and
 - (e) for the purpose of enhancing the propagation or survival of the populations concerned.

Such exemptions shall be precise as to content and limited in space and time and shall not operate to the detriment of the populations listed in Table 1. Parties shall, as soon as possible, inform the Agreement secretariat of any exemptions granted pursuant to this provision.

2.2 Single Species Action Plans

- 2.2.1 Parties shall cooperate with a view to developing and implementing international single species action plans for populations listed in Category 1 of Column A of Table 1 as a priority and for those populations listed with an asterisk in Column A of Table 1. The Agreement secretariat shall coordinate the development, harmonization and implementation of such plans.
- 2.2.2 Parties shall prepare and implement national single species action plans for the populations listed in Column A of Table 1 with a view to improving their overall conservation status. This action plan shall include special provisions for those populations marked with an asterisk. When appropriate, the problem of accidental killing of birds by hunters as a result of incorrect identification of the species should be considered.

2.3 **Emergency Measures**

Parties shall, in close cooperation with each other whenever possible and relevant, develop and implement emergency measures for populations listed in Table 1, when exceptionally unfavourable or endangering conditions occur anywhere in the Agreement Area.

2.4 **Re-establishments**

Parties shall exercise the greatest care when re-establishing populations listed in Table 1 into parts of their traditional range where they no longer exist. They shall endeavour to develop and follow a detailed re-establishment plan based on appropriate scientific studies. Re-establishment plans should constitute an integral part of national and, where appropriate, international single species action plans. A re-establishment plan should include assessment of the impact on the environment and shall be made widely available. Parties shall inform the Agreement secretariat, in advance, of all re-establishment programme for populations listed in Table 1.

2.5 Introductions

- 2.5.1 Parties shall prohibit the introduction into the environment of non-native species of animals and plants which may be detrimental to the populations listed in Table 1.
- 2.5.2 Parties shall require the taking of appropriate precautions to avoid the accidental escape of captive animals belonging to non-native species, which may be detrimental to the populations listed in Table 1.
- 2.5.3 Parties shall take measures to the extent feasible and appropriate, including taking, to ensure that when non-native species or hybrids thereof have already been introduced into their territory, those species or their hybrids do not pose a potential hazard to the populations listed in Table 1.

3. Habitat Conservation

3.1 Habitat Inventories

- 3.1.1 Parties, in liaison where appropriate with competent international organizations, shall undertake and publish national inventories of the habitats within their territory which are important to the populations listed in Table 1.
- 3.1.2 Parties shall endeavour, as a matter of priority, to identify all sites of international or national importance for populations listed in Table 1.

3.2 **Conservation of Areas**

- 3.2.1 Parties shall endeavour to continue establishing protected areas to conserve habitats important for the populations listed in Table 1, and to develop and implement management plans for these areas.
- 3.2.2 Parties shall endeavour to give special protection to those wetlands which meet internationally accepted criteria of international importance.
- 3.2.3 Parties shall endeavour to make wise and sustainable use of all of the wetlands in their territory. In particular they shall endeavour to avoid degradation and loss of habitats that support populations listed in Table 1 through the introduction of appropriate regulations or standards and control measures. In particular, they shall endeavour to:
 - (a) ensure, where practicable, that adequate statutory controls are in place, relating to the use of agricultural chemicals, pest control procedures and the disposal of waste water, which are in accordance with international norms, for the purpose of minimizing their adverse impacts on the populations listed in Table 1; and
 - (b) prepare and distribute information materials, in the appropriate languages, describing such regulations, standards and control measures in force and their benefits to people and wildlife.
- 3.2.4 Parties shall endeavour to develop strategies, according to an ecosystem approach, for the conservation of the habitats of all populations listed in Table 1, including the habitats of those populations that are dispersed.

3.3 **Rehabilitation and Restoration**

Parties shall endeavour to rehabilitate or restore, where feasible and appropriate, areas which were previously important for the populations listed in Table 1, including areas that suffer degradation as a result of the impacts of factors such as climate change, hydrological change, agriculture, spread of aquatic invasive non-native species, natural succession, uncontrolled fires, unsustainable use, eutrophication and pollution.

4. Management of Human Activities

4.1 **Hunting**

- 4.1.1 Parties shall cooperate to ensure that their hunting legislation implements the principle of sustainable use as envisaged in this Action Plan, taking into account the full geographical range of the waterbird populations concerned and their life history characteristics.
- 4.1.2 The Agreement secretariat shall be kept informed by the Parties of their legislation relating to the hunting of populations listed in Table 1.
- 4.1.3 Parties shall cooperate with a view to developing a reliable and harmonized system for the collection of harvest data in order to assess the annual harvest of populations listed in Table 1. They shall provide the Agreement secretariat with estimates of the total annual take for each population, when available.
- 4.1.4 Parties shall endeavour to phase out the use of lead shot for hunting in wetlands as soon as possible in accordance with self-imposed and published timetables.
- 4.1.5 ...
- 4.1.6 Parties shall develop and implement measures to reduce, and as far as possible eliminate, illegal taking.
- 4.1.7 Where appropriate, Parties shall encourage hunters, at local, national and international levels, to form clubs or organizations to coordinate their activities and to help ensure sustainability.
- 4.1.8 Parties shall, where appropriate, promote the requirement of a proficiency test for hunters, including among other things, bird identification.

4.2 **Eco-tourism**

- 4.2.1 Parties shall encourage, where appropriate but not in the case of core zones of protected areas, the elaboration of cooperative programmes between all concerned to develop sensitive and appropriate eco-tourism at wetlands holding concentrations of populations listed in Table 1.
- 4.2.2 Parties, in cooperation with competent international organisations, shall endeavour to evaluate the costs, benefits and other consequences that can result from eco-tourism at selected wetlands with concentrations of populations listed in Table 1. They shall communicate the results of any such evaluations to the Agreement secretariat.

4.3 **Other Human Activities**

- 4.3.1 Parties shall assess the impact of proposed projects which are likely to lead to conflicts between populations listed in Table 1 that are in the areas referred to in paragraph 3.2 and human interests, and shall make the results of the assessment publicly available.
- 4.3.2 Parties shall endeavour to gather information on the damage, in particular to crops and to fisheries, caused by populations listed in Table 1, and report the results to the Agreement secretariat.
- 4.3.3 Parties shall cooperate with a view to identifying appropriate techniques to minimize damage, or to mitigate the effects of damage, in particular to crops and to fisheries, caused by populations listed in Table 1, drawing on the experience gained elsewhere in the world.
- 4.3.4 Parties shall cooperate with a view to developing single species management plans for populations which cause significant damage, in particular to crops and to fisheries. The Agreement secretariat shall coordinate the development and harmonization of such plans.
- 4.3.5 Parties shall, as far as possible, promote high environmental standards in the planning and construction of structures to minimize their impact on populations listed in Table 1. They should consider steps to

minimize the impact of structures already in existence where it becomes evident that they constitute a negative impact for the populations concerned.

- 4.3.6 In cases where human disturbance threatens the conservation status of waterbird populations listed in Table 1, Parties should endeavour to take measures to limit the level of threat. Special attention should be given to the problem of human disturbance at breeding colonies of colonially-nesting waterbirds, especially when they are situated in the areas which are popular for outdoor recreation. Appropriate measures might include, *inter alia*, the establishment of disturbance-free zones in protected areas where public access is not permitted.
- 4.3.7 Parties are urged to take appropriate actions nationally or through the framework of Regional Fisheries Management Organisations (RFMOs) and relevant international organisations to minimise the impact of fisheries⁵ on migratory waterbirds, and where possible cooperate within these forums, in order to decrease the mortality in areas within and beyond national jurisdiction; appropriate measures shall especially address incidental killing and bycatch in fishing gear including the use of gill nets, longlines and trawling.
- 4.3.8 Parties are also urged to take appropriate actions nationally or through the framework of Regional Fisheries Management Organisations (RFMOs) and relevant international organisations to minimise the impact of fisheries on migratory waterbirds resulting in particular from unsustainable fishing that causes depletion of food resources for migratory waterbirds.
- 4.3.9 Parties shall establish and effectively enforce adequate statutory pollution controls in accordance with international norms and legal agreements, particularly as related to oil spills, discharge and dumping of solid wastes, for the purpose of minimizing their impacts on the populations listed in Table 1.
- 4.3.10 Parties shall establish appropriate measures, ideally to eliminate or otherwise to mitigate the threat from non-native terrestrial predators to breeding migratory waterbirds on islands and islets. Measures should refer to contingency planning to prevent invasion, emergency responses to remove introduced predators, and restoration programmes for islands where predator populations are already established.
- 4.3.11 Parties are urged to establish appropriate measures to tackle threats to migratory waterbirds from aquaculture, including environmental assessment for developments that threaten wetlands of importance for waterbirds, especially when dealing with new or enlargement of existing installations, and involving issues such as pollution (e.g. from residues of pharmaceutical treatments used in aquaculture or eutrophication), habitat loss, entanglement risks, and introduction of non-native and potentially invasive species."
- 4.3.12 Parties, the Agreement secretariat and the Technical Committee will as appropriate work together to provide further documentation on the nature and scale of the effects of lead fishing weights on waterbirds and to consider that documentation, noting that lead in general poses a threat to the environment with harmful effects on waterbirds. Parties will, as appropriate, seek alternatives to lead fishing weights, taking into consideration the impact on waterbirds and water quality.

5. Research and Monitoring

5.1 Parties shall endeavour to carry out survey work in poorly known areas, which may hold important concentrations of the populations listed in Table 1. The results of such surveys shall be disseminated widely.

⁵ "**fisheries**" includes aquaculture and refers to either marine or freshwater fish, crustaceans, and molluscs (e.g. bivalves, gastropods and cephalopods).

AEWA Agreement Text and Annexes

- 5.2 Parties shall endeavour to monitor the populations listed in Table 1. The results of such monitoring shall be published or sent to appropriate international organizations, to enable reviews of population status and trends.
- 5.3 Parties shall cooperate to improve the measurement of bird population trends as a criterion for describing the status of such populations.
- 5.4 Parties shall cooperate with a view to determining the migration routes of all populations listed in Table 1, using available knowledge of breeding and non-breeding season distributions and census results, and by participating in coordinated ringing programmes.
- 5.5 Parties shall endeavour to initiate and support joint research projects into the ecology and population dynamics of populations listed in Table 1 and their habitats, in order to determine their specific requirements as well as the techniques which are the most appropriate for their conservation and management.
- 5.6 Parties shall endeavour to undertake studies on the effects of wetland loss and degradation and disturbance on the carrying capacity of wetlands used by the populations listed in Table 1 and on the migration patterns of such populations.
- 5.7 Parties shall endeavour to undertake studies on the impact of hunting and trade on the populations listed in Table 1 and on the importance of these forms of utilization to the local and national economy.
- 5.8 Parties shall endeavour to cooperate with relevant international organisations and to support research and monitoring projects.

6. Education and Information

- 6.1 Parties shall, where necessary, arrange for training programmes to ensure that personnel responsible for the implementation of this Action Plan have an adequate knowledge to implement it effectively.
- 6.2 Parties shall cooperate with each other and the Agreement secretariat with a view to developing training programmes and exchanging resource materials.
- 6.3 Parties shall endeavour to develop programmes, information materials and mechanisms to improve the level of awareness of the general public with regard to the objectives, provisions and contents of this Action Plan. In this regard, particular attention shall be given to those people living in and around important wetlands, to users of these wetlands (hunters, fishermen, tourists, etc.) and to local authorities and other decision makers.
- 6.4 Parties shall endeavour to undertake specific public awareness campaigns for the conservation of the populations listed in Table 1.

7. Implementation

- 7.1 When implementing this Action Plan, Parties shall, when appropriate, give priority to those populations listed in Column A of Table 1.
- 7.2 Where, in the case of populations listed in Table 1, more than one population of the same species occurs on the territory of a Party, that Party shall apply conservation measures appropriate to the population or populations that have the poorest conservation status.
- 7.3 The Agreement secretariat, in coordination with the Technical Committee and with the assistance of experts from Range States, shall coordinate the development of conservation guidelines in accordance with Article IV, paragraph 4, of this Agreement to assist the Parties in the implementation of this Action Plan. The Agreement secretariat shall ensure, where possible, coherence with guidelines

approved under other international instruments. These conservation guidelines shall aim at introducing the principle of sustainable use. They shall cover, *inter alia*:

- (a) single species action plans;
- (b) emergency measures;
- (c) preparation of site inventories and habitat management methods;
- (d) hunting practices;
- (e) trade in waterbirds;
- (f) tourism;
- (g) reducing crop damage; and
- (h) a waterbird monitoring protocol.
- 7.4 The Agreement secretariat, in coordination with the Technical Committee and the Parties, shall prepare a series of international reviews necessary for the implementation of this Action Plan, including:
 - (a) reports on the status and trends of populations;
 - (b) gaps in information from surveys;
 - (c) the networks of sites used by each population, including reviews of the protection status of each site as well as of the management measures taken in each case;
 - (d) pertinent hunting and trade legislation in each country relating to the species listed in Annex 2 to this Agreement;
 - (e) the stage of preparation and implementation of single species action plans;
 - (f) re-establishment projects; and
 - (g) the status of introduced non-native waterbird species and hybrids thereof.
- 7.5 The Agreement secretariat shall endeavour to ensure that the reviews mentioned in paragraph 7.4 are updated at the following intervals:

(a) every session of the Meeting of the Parties; (b) – every second session of the Meeting of the Parties; (c) – every second session of the Meeting of the Parties; (d) – every third session of the Meeting of the Parties; (e) – every second session of the Meeting of the Parties; (f) – every third session of the Meeting of the Parties; (g) - every second session of the Meeting of the Parties.

- 7.6 The Technical Committee shall assess the guidelines and reviews prepared under paragraphs 7.3 and 7.4, and shall formulate draft recommendations and resolutions relating to their development, content and implementation for consideration at sessions of the Meeting of the Parties.
- 7.7 The Agreement secretariat shall regularly undertake a review of potential mechanisms for providing additional resources (funds and technical assistance) for the implementation of this Action Plan, and shall make a report to each ordinary session of the Meeting of the Parties.

Table 1^{a/}

STATUS OF THE POPULATIONS OF MIGRATORY WATERBIRDS

KEY TO CLASSIFICATION

The following key to Table 1 is a basis for implementation of the Action Plan:

Column A

- Category 1: (a) Species, which are included in Appendix I to the Convention on the Conservation of Migratory species of Wild Animals;
 - (b) Species, which are listed as threatened on the IUCN Red list of Threatened Species, as reported in the most recent summary by BirdLife International; or
 - (c) Populations, which number less than around 10,000 individuals.
- Category 2: Populations numbering between around 10,000 and around 25,000 individuals.

Category 3: Populations numbering between around 25,000 and around 100,000 individuals and considered to be at risk as a result of:

- (a) Concentration onto a small number of sites at any stage of their annual cycle;
- (b) Dependence on a habitat type, which is under severe threat;
- (c) Showing significant long-term decline; or
- (d) Showing large fluctuations in population size or trend.
- Category 4: Species, which are listed as Near Threatened on the IUCN Red List of Threatenend species, as reported in the most recent summary by BirdLife International, but do not fulfil the conditions in respect of Category 1, 2 or 3, as described above, and which are pertinent for international action.

For species listed in Categories 2, 3 and 4 above, see paragraph 2.1.1 of the Action Plan contained in Annex 3 to the Agreement.

Column B

- Category 1: Populations numbering between around 25,000 and around 100,000 individuals and which do not fulfil the conditions in respect of Column A, as described above.
- Category 2: Populations numbering more than around 100,000 individuals, which do not fulfil the conditions in respect of Column A, and considered to be in need of special attention as a result of:
 - (a) Concentration onto a small number of sites at any stage of their annual cycle;
 - (b) Dependence on a habitat type, which is under severe threat;
 - (c) Showing significant long-term decline; or
 - (d) Showing large fluctuations in population size or trend.

^a/Table 1, "Status of the populations of migratory waterbirds" forms part of the Action Plan contained in Annex 3 to the Agreement.

Column C

Category 1: Populations numbering more than around 100,000 individuals which could significantly benefit from international cooperation and which do not fulfil the conditions in respect of either Column A or Column B, above.

REVIEW OF TABLE 1

The Table shall be:

- (a) Reviewed regularly by the Technical Committee in accordance with article VII, paragraph 3(b), of the Agreement; and
- (b) Amended as necessary by the Meeting of the Parties, in accordance with article VI, paragraph 9(d) of the Agreement, in light of the conclusions of such reviews.

DEFINITION OF GEOGRAPHICAL TERMS USED IN RANGE DESCRIPTIONS

Note that waterbird ranges respect biological, not political, boundaries and that precise alignment of biological and political entities is extremely unusual. The range descriptions used have no political significance and are for general guidance only, and for concise, mapped summaries of waterbird ranges, practitioners should consult the Critical Site Network Tool internet portal:

http://wow.wetlands.org/informationflyway/criticalsitenetworktool/tabid/1349/language/en-US/Default.aspx

| North Africa | Algeria, Egypt, Libya, Morocco, Tunisia. |
|--------------------|---|
| West Africa | Benin, Burkina Faso, Cameroon, Cabo Verde, Chad, Côte d'Ivoire, the Gambia, Ghana, Guinea, Guinea-Bissau, Liberia, Mali, Mauritania, Niger, Nigeria, Senegal, Sierra Leone, Togo. |
| Eastern Africa | Burundi, Djibouti, Eritrea, Ethiopia, Kenya, Rwanda, Somalia, South Sudan, Sudan, Uganda, the United Republic of Tanzania. |
| North-west Africa | Morocco, Algeria and Tunisia. |
| North-east Africa | Djibouti, Egypt, Eritrea, Ethiopia, Somalia, South Sudan, Sudan. |
| Southern Africa | Angola, Botswana, Lesotho, Malawi, Mozambique, Namibia, South Africa, Swaziland, Zambia, Zimbabwe. |
| Central Africa | Cameroon, Central African Republic, Congo, Democratic Republic of the Congo, Equatorial Guinea, Gabon, Sao Tome and Principe. |
| Sub-Saharan Africa | All African states south of the Sahara. |
| Tropical Africa | Sub-Saharan Africa excluding Lesotho, Namibia, South Africa and Swaziland. |
| Western Palearctic | As defined in <i>Handbook of the Birds of Europe, the Middle East and North Africa</i> (Cramp & Simmons 1977). |
| North-west Europe | Belgium, Denmark, Finland, France, Germany, Iceland, Ireland, Luxembourg, the Netherlands, Norway, Sweden, the United Kingdom of Great Britain and Northern Ireland. |
| Western Europe | North-west Europe with Portugal and Spain. |
| North-east Europe | The northern part of the Russian Federation west of the Urals. |
| North Europe | North-west Europe and North-east Europe, as defined above. |

- Eastern Europe Belarus, the Russian Federation west of the Urals, Ukraine.
- Central Europe Austria, the Czech Republic, Estonia, Germany, Hungary, Latvia, Liechtenstein, Lithuania, Poland, the Russian Federation around the Gulf of Finland and Kaliningrad, Slovakia, Switzerland.
- South-west Europe Mediterranean France, Italy, Malta, Monaco, Portugal, San Marino, Spain.
- South-east Europe Albania, Armenia, Bosnia & Herzegovina, Bulgaria, Croatia, Cyprus, Georgia, Greece, FYR Macedonia, Republic of Moldova, Montenegro, Romania, Serbia, Slovenia and Turkey.
- South-Europe South-west Europe and South-east Europe, as defined above.
- North AtlanticFaroes, Greenland, Iceland, Ireland, Norway, the north-west coast of the Russian
Federation, Svalbard, the United Kingdom of Great Britain and Northern Ireland.
- East Atlantic Atlantic seaboard of Europe and North Africa from northern Norway to Morocco.
- Western Siberia The Russian Federation east of the Urals to the Yenisey River and south to the Kazakhstan border.
- Central Siberia The Russian Federation from the Yenisey River to the eastern boundary of the Taimyr Peninsula and south to the Altai Mountains.
- West Mediterranean Algeria, France, Italy, Malta, Monaco, Morocco, Portugal, San Marino, Spain, Tunisia.
- East Mediterranean Albania, Bosnia and Herzegovina, Croatia, Cyprus, Egypt, Greece, Israel, Lebanon, Libya, Montenegro, Serbia, Slovenia, the Syrian Arab Republic, The Former Yugoslav Republic of Macedonia, Turkey.
- Black Sea Armenia, Bulgaria, Georgia, Republic of Moldova, Romania, the Russian Federation, Turkey, Ukraine.
- Caspian Azerbaijan, Islamic Republic of Iran, Kazakhstan, South-west Russia, Turkmenistan, Uzbekistan.
- South-west Asia Bahrain, Iraq, Islamic Republic of Iran, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, Oman, Qatar, Saudi Arabia, the Syrian Arab Republic, eastern Turkey, Turkmenistan, the United Arab Emirates, Uzbekistan, Yemen.
- Gulf The Persian Gulf, Gulf of Oman and Arabian Sea west to the Gulf of Aden.
- Western Asia Western parts of the Russian Federation east of the Urals and the Caspian countries.
- Central Asia Afghanistan, Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan, Uzbekistan.
- Southern Asia Bangladesh, Bhutan, India, Maldives, Nepal, Pakistan, Sri Lanka.
- Indian Ocean Comoros, Madagascar, Mauritius, Seychelles.

KEY TO ABBREVIATIONS AND SYMBOLS

| bre: | breeding | win: | wintering |
|------|---------------|------|---------------|
| N: | Northern | E: | Eastern |
| S: | Southern | W: | Western |
| NE: | North-eastern | NW: | North-western |
| SE: | South-eastern | SW: | South-western |

- (): Population status unknown. Conservation status estimated.
- *: By way of exception for those populations listed in Categories 2 and 3 in Column A and which are marked by an asterisk, hunting may continue on a sustainable use basis. This sustainable use shall be conducted within the framework of special provisions of an international species action plan, which shall seek to implement the principles of adaptive harvest management (see paragraph 2.1.1 of Annex 3 to the Agreement).

NOTES

- 1. The population data used to compile Table 1 as far as possible correspond to the number of individuals in the potential breeding stock in the Agreement area. The status is based on the best available published population estimates.
- 2. Suffixes (bre) or (win) in population listings are solely aids to population identification. They do not indicate seasonal restrictions to actions in respect of these populations under the Agreement and Action Plan.
- 3. The brief descriptions used to identify the populations are based on the descriptions used in the most recently published edition of *Waterbird Population Estimates*.
- 4. Slash signs (/) are used to separate breeding areas from wintering areas.
- 5. Where a species' population is listed in Table 1 with multiple categorisations, the obligations of the Action Plan relate to the strictest category listed.

| Populations | Α | В | С |
|--|----------|-------|-----|
| Family ANATIDAE (ducks, geese, swans) | | | |
| Dendrocygna viduata (White-faced Whistling-duck) | | | |
| - West Africa (Senegal to Chad) | | | 1 |
| - Eastern & Southern Africa | | | 1 |
| Dendrocygna bicolor (Fulvous Whistling-duck) | | | 1 |
| - West Africa (Senegal to Chad) | | 1 | |
| - Eastern & Southern Africa | | 1 | (1) |
| Thalassornis leuconotus leuconotus (White-backed Duck) | | | (1) |
| - West Africa | 1c | | |
| - Eastern & Southern Africa | 2* | | |
| Oxyura maccoa (Maccoa Duck) | | | |
| - Eastern Africa | 1c | | |
| - Southern Africa | 1c | | |
| Oxyura leucocephala (White-headed Duck) | 10 | | |
| - West Mediterranean (Spain & Morocco) | 1a 1b 1c | | |
| - Algeria & Tunisia | 1a 1b 1c | | |
| - East Mediterranean, Turkey & South-west Asia | 1a 1b 1c | | |
| Cygnus olor (Mute Swan) | 101010 | | |
| - North-west Mainland & Central Europe | | | 1 |
| - Black Sea | | 1 | 1 |
| - West & Central Asia/Caspian | | 2a 2d | |
| Cygnus cygnus (Whooper Swan) | | 24 24 | |
| - Iceland/UK & Ireland | | 1 | |
| - North-west Mainland Europe | | 1 | |
| - N Europe & W Siberia/Black Sea & E Mediterranean | 2 | 1 | |
| - West & Central Siberia/Caspian | 2 | | |
| Cygnus columbianus bewickii (Tundra Swan, Bewick's Swan) | | | |
| - Western Siberia & NE Europe/North-west Europe | 2 | | |
| - Northern Siberia/Caspian | 1c | | |
| Branta bernicla bernicla (Brent Goose, Dark-bellied Brent Goose) | | | |
| - Western Siberia/Western Europe | | 2b | |
| Branta bernicla hrota (Brent Goose, Pale-bellied Brent Goose) | | | |
| - Svalbard/Denmark & UK | 1c | | |
| - Canada & Greenland/Ireland | 3a | | |
| Branta leucopsis (Barnacle Goose) | | | |
| - East Greenland/Scotland & Ireland | | 1 | |
| - Svalbard/South-west Scotland | 3a | - | |
| - Russia/Germany & Netherlands | | | 1 |
| Branta ruficollis (Red-breasted Goose) | | | - |
| - Northern Siberia/Black Sea & Caspian | 1a 1b 3a | | |
| | 3c | | |
| Anser anser anser (Greylag Goose, Western Greylag Goose) | | | |
| - Iceland/UK & Ireland | | | 1 |
| - NW Europe/South-west Europe | | | 1 |
| - Central Europe/North Africa | | 1 | |
| Anser anser rubrirostris (Greylag Goose, Eastern Greylag Goose) | | | |
| - Black Sea & Turkey | | 1 | |
| - Western Siberia/Caspian & Iraq | | | 1 |
| Anser fabalis fabalis (Bean Goose, Taiga Bean Goose) | | | |
| - North-east Europe/North-west Europe | 3c* | | |
| | | | 41 |

| Populations | Α | В | С |
|--|----------|-------|-----|
| Anser fabalis johanseni (Bean Goose) | | | |
| - West & Central Siberia/Turkmenistan to W China | 1c | | |
| Anser fabalis rossicus (Bean Goose, Tundra Bean Goose) | | | |
| - West & Central Siberia/NE & SW Europe | | | (1) |
| Anser brachyrhynchus (Pink-footed Goose) | | | |
| - East Greenland & Iceland/UK | | 2a | |
| - Svalbard/North-west Europe | | 1 | |
| Anser albifrons albifrons (Greater White-fronted Goose, European | | | |
| White-fronted Goose) | | | |
| - NW Siberia & NE Europe/North-west Europe | | | 1 |
| - Western Siberia/Central Europe | | | 1 |
| - Western Siberia/Black Sea & Turkey | | | 1 |
| - Northern Siberia/Caspian & Iraq | 2 | | |
| Anser albifrons flavirostris (Greater White-fronted Goose, | | | |
| Greenland White-fronted Goose) | | | |
| - Greenland/Ireland & UK | 2* | | |
| Anser erythropus (Lesser White-fronted Goose) | | | |
| - NE Europe & W Siberia/Black Sea & Caspian | 1a 1b 2 | | |
| - Fennoscandia | 1a 1b 1c | | |
| Clangula hyemalis (Long-tailed Duck) | | | |
| - Iceland & Greenland (bre) ⁶ | 1b | | |
| - Western Siberia/North Europe (bre) | 1b | | |
| Somateria spectabilis (King Eider) | | | |
| - East Greenland, NE Europe & Western Siberia | | | 1 |
| Somateria mollissima mollissima (Common Eider) | | | |
| - Baltic, Denmark & Netherlands | | 2c 2d | |
| - Norway & Russia | | | 1 |
| Somateria mollissima borealis (Common Eider) | | | |
| - Svalbard & Franz Joseph (bre) | | 1 | |
| Polysticta stelleri (Steller's Eider) | | | |
| - Western Siberia/North-east Europe | 1a 1b | | |
| Melanitta fusca (Velvet Scoter) | | | |
| - Western Siberia & Northern Europe/NW Europe | 1b | | |
| - Black Sea & Caspian | 1b 1c | | |
| Melanitta nigra (Common Scoter) | | | |
| - W Siberia & N Europe/W Europe & NW Africa | | 2a | |
| Bucephala clangula clangula (Common Goldeneye) | | | |
| - North-west & Central Europe (win) | | | 1 |
| - North-east Europe/Adriatic | | | 1 |
| - Western Siberia & North-east Europe/Black Sea | | 1 | |
| - Western Siberia/Caspian | | | 1 |
| Mergellus albellus (Smew) | | | |
| - North-west & Central Europe (win) | 3a | | |
| - North-east Europe/Black Sea & East Mediterranean | 2 | | |
| - Western Siberia/South-west Asia | | 1 | |
| Mergus merganser merganser (Goosander) | | | |
| - North-west & Central Europe (win) | | | 1 |
| - North-east Europe/Black Sea | 2 | | |
| - Western Siberia/Caspian | 2 | | |
| Mergus serrator (Red-breasted Merganser) | | | |

⁶ There is significant overlap between populations in winter.
42

| Populations | Α | В | С |
|--|----------|----|-----|
| - North-west & Central Europe (win) | 3c | | |
| - North-east Europe/Black Sea & Mediterranean | | 1 | |
| - Western Siberia/South-west & Central Asia | 1c | | |
| Alopochen aegyptiaca (Egyptian Goose) | | | |
| - West Africa | 1c | | |
| - Eastern & Southern Africa | | | 1 |
| Tadorna tadorna (Common Shelduck) | | | |
| - North-west Europe | | 2a | |
| - Black Sea & Mediterranean | | | 1 |
| - Western Asia/Caspian & Middle East | 3c | | |
| Tadorna ferruginea (Ruddy Shelduck) | | | |
| - North-west Africa | 1c | | |
| - East Mediterranean & Black Sea/North-east Africa | 2 | | |
| - Western Asia & Caspian/Iran & Iraq | 3c | | |
| Tadorna cana (South African Shelduck) | 50 | | |
| - Southern Africa | 3c | | |
| Plectropterus gambensis gambensis (Spur-winged Goose) | 50 | | |
| - West Africa | | 1 | |
| - Eastern Africa (Sudan to Zambia) | | 1 | 1 |
| | | | 1 |
| Plectropterus gambensis niger (Spur-winged Goose) - Southern Africa | 3c | | |
| | 30 | | |
| Sarkidiornis melanotos (African Comb Duck) | 2- | | |
| - West Africa | 3c | | 1 |
| - Southern & Eastern Africa | | | 1 |
| Nettapus auritus (African Pygmy-goose) | | | |
| - West Africa | 1c | | (1) |
| - Southern & Eastern Africa | | | (1) |
| Marmaronetta angustirostris (Marbled Teal) | 1 11 1 | | |
| - West Mediterranean/West Medit. & West Africa | 1a 1b 1c | | |
| - East Mediterranean | 1a 1b 1c | | |
| - South-west Asia | 1a 1b 3c | | |
| Netta rufina (Red-crested Pochard) | | | |
| - South-west & Central Europe/West Mediterranean | | 1 | |
| - Black Sea & East Mediterranean | 3c | | |
| - Western & Central Asia/South-west Asia | | 2c | |
| Netta erythrophthalma brunnea (Southern Pochard) | | | |
| - Southern & Eastern Africa | 3c | | |
| Aythya ferina (Common Pochard) | | | |
| - North-east Europe/North-west Europe | | 2c | |
| - Central & NE Europe/Black Sea & Mediterranean | | 2c | |
| - Western Siberia/South-west Asia | | 2c | |
| Aythya nyroca (Ferruginous Duck) | | | |
| - West Mediterranean/North & West Africa | 1a 1c | | |
| - Eastern Europe/E Mediterranean & Sahelian Africa | 1a 4 | | |
| - Western Asia/SW Asia & NE Africa | 1a 3c | | |
| Aythya fuligula (Tufted Duck) | | | |
| - North-west Europe (win) | | | 1 |
| - Central Europe, Black Sea & Mediterranean (win) | | 2c | |
| - Western Siberia/SW Asia & NE Africa | | 2c | |
| Aythya marila marila (Greater Scaup) | | | |
| - Northern Europe/Western Europe | | 2c | |
| | | 20 | |

| • Western Siberia/Black Sea & Caspian 1 Spatula querquedula (Gargancy) 1 • Western Siberia/SW Asia, NE & Eastern Africa 1 • Western Siberia/SW Asia, NE & Eastern Africa 1 • Lake Chad Basin 1 • Lake Chad Basin 1 • Lake Chad Basin 1 • Southen Africa (south to X Zambia) 1 • Southen Africa (noth to S Zambia) 1 • North-west & Central Europe (win) 1 • North-west & Europe/S Europe & West Africa 2 • North-west Furope 1 • North-west Furope 1 • North-west Furope 1 • North-west Furope/Shack Sea & Mediterranean 1 • Western Siberia/SW Asia & NE Africa 2c Mareca streper a Grapera (Gavall) 4 • Western Siberia & NE Europe/NW Europe 1 • Western Siberia/SW Asia & NE Africa 2c Amas undulata undulata (Vellow-billed Duck) 1 • North-west Furope/Black Sea & Mediterranean 1 • North-west Furope/Black Sea & East Mediterranean 2c • Anas undulata undulata (Vellow-billed Duck) 1 • North-west Furope/Black | Populations | Α | В | С |
|--|---------------------------------------|----|------|-----|
| Spenida querquedula (Garganey) 1 - Western Siberia & Europe/West Africa 1 Western Siberia & Europe/West Africa (1) Nestern Siberia & Sumper Methods 1 - Lake Chad Basin 1 - Eastern Africa (south to N Zambia) 1 - Southern Africa (south to S Zambia) 1 Spatial cipperate (Northen Showler) 1 - North-west & Central Europe & West Africa 2c - North-west & Central Europe & West Africa 1 - North-west & Central Europe & West Africa 2c - North-west Europe/Black Sea & Mediterranean 1 - North-west Europe/Black Sea & Mediterranean 1 - North-west Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c - Marce apenicope (Eursiam Wigeon) 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c - Anas platyrhynchos platyrhynchos (Mallard) 1 - North-west Europe 1 - North-west Europe 1 - Fastern Furope/Black Sea & Fast Mediterranean 2c <td>- Western Siberia/Black Sea & Caspian</td> <td></td> <td></td> <td>1</td> | - Western Siberia/Black Sea & Caspian | | | 1 |
| • Western Siberia & Europe/West Africa 1 • Western Siberia/SW Asia, NE & Eastern Africa (1) > Jacke Chad Basin 1e • Lake Chad Basin 1 • Southern Africa (south to N Zambia) 1 • Southern Africa (north to S Zambia) 1 • North-west & Central Europe (win) 1 • W Siberia, NF & F. Europe & West Africa 2c • Marcea streper strepers (Gadwall) 1 • North-west & Central Europe (Win) 1 • North-west Europe 1 • North-west Europe 1 • North-west Europe 1 • North-west Europe 1 • North-west Europe (Eurasian Wigcon) 1 • Western Siberia/SW Asia & NE Africa (2c) Mareca streper Streper (Gadwall) 1 • Western Siberia/SW Asia & NE Africa 2e Mareca streper Streper (Gadwall) 1 • Western Siberia/SW Asia & NE Africa 2e Marea strepe Streper (Gadwall) 1 • Western Siberia/SW Asia & NE Africa 1 • North-west Europe 1 • North-west Europe 1 • North-west Europe | • | | | |
| -Western Siberia/SW Asia, NE & Eastern Africa (1) Spatula hottentota (Hottentot Teal) (1) - Lake Chad Basin 1c - Southern Africa (south to N Zambia) 1 Southern Africa (north to S Zambia) 1 Spatula clypeata (Northern Shoveler) 1 - North-west & Central Furope (win) 1 - W Siberia/SW Asia, NE & Earope & West Africa 2c Mareca strepera strepera (Gadwall) 1 - North-west Europe 1 - North-east Europe/Slack Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa (2c) Mareca penelope (Eurasian Wigeon) 1 - Western Siberia & NE Europe/NBuck Sea & Mediterranean 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Southern Africa 2c - Mas undulata undulata (Yellow-billed Duck) 1 - North-west Europe 1 - Northern Europe/West Mediterranean 2c - Western Siberia/South-west Asia 2c - Maas gaaria/South-west Asia | | | | 1 |
| Spanula houtentoia (Hottentot Teal) 1 - Lake Chad Basin 1c - Lake Chad Basin 1 - Southern Africa (south to N Zambia) 1 Spatula chynetar (Northern Shoveler) 1 - North-west & Central Europe (win) 1 - W Siberia/SW Asia, NE & Eastern Africa 2c - W Siberia/SW Asia, NE & Eastern Africa 2c - North-west Europe 1 - North-west Furope 1 - North-west Furope 1 - North-west Furope 1 - North-west Furope 1 - North-west Furope/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c - Marce arpeneloge (Eurasian Wigcon) - - Western Siberia/SW Asia & NE Africa 2c - Mass undulata undulata (Yellow-billed Duck) - - Southern Africa 1 - North-west Europe 1 - Southern Africa (Rift Val | A | | | (1) |
| - I ake Chad Basin 1c - Eastern Africa (south to N Zambia) 1 Southern Africa (north to S Zambia) 1 Spatula chypeata (Northern Shoveler) 1 - North-west & Central Europe (win) 1 - W Siberia, NE & E Europe & West Africa 2c Marcea strepera Strepera (Gadwall) 1 - North-west Europe 1 - North-east Europe/Black Sea & Mediterranean 1 - North-east Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa (2c) Marcea pendpe (Eurasian Wigeon) 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c Anas playrhynchos playrhynchos (Mallard) 1 - North-west Europe 1 - North-west Europe/West Mediterranean 1 - North-west Europe/Black Sea & Fast Mediterranean 1 - Rastern Europe/Black Sea & Fast Mediterranean 1 - Rastern Europe/Black Sea & Fast Mediterranean 1 - Southern | | | | (-) |
| - Eastern Africa (south to N Zambia) 1 - Southern Africa (north to S Zambia) 1 - North-west & Central Europe (win) 1 - W Sibbria, NF & F. Europe & West Africa 1 - W Sibbria, NF & F. Europe & West Africa 2 Mareca strepera strepera (Gadwall) 1 - North-west Europe 1 - North-west Europe 1 - North-west Europe 1 - North-set Europe/SW Asia & NE Africa (2c) Mareca penelope (Eurasian Wigeon) - - Western Siberia/SW Asia & NE Africa 2c Mareca penelope (Eurasian Wigeon) - - Western Siberia/SW Asia & NE Africa 2c Anas undulata undultat (Yellow-billed Duck) - - Southern Africa 1 - North-west Europe 1 - North-west Europe/West Mediterranean 1 - Southern Siberia/SW Asia & East Mediterranean 2c - Anas undultata undultata (Yellow-billed Duck) - - Southern Europe/West Mediterranean 2c - Western Siberia/SUM-west Asia 2c - Anas capensis (Cape Teal) - - Southern Africa (Rift Valley) | | 1c | | |
| - Southern Africa (north to S Zambia) 1 Spatula chypeata (Northern Shoveler) 1 - North-west & Central Europe (win) 1 - W Siberia/SW Asia, NE & Eastern Africa 2c - Marcea streper as trepera (Gadwall) 1 - North-east Europe/Black Sea & Mediterranean 1 - North-east Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa (2c) Mareca streper Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c Mareca strepera Strepera (Black Sea & Mediterranean) 1 - Western Siberia/SW Asia & NE Africa 2c Mareca penclope (Eurasian Wigeon) 1 - Western Siberia/SW Asia & NE Africa 2c - Anas undulata undulata (Yellow-billed Duck) 1 - North-west Europe 1 - North-west Europe 1 - North-west Europe/Black Sea & Fast Mediterranean 2c - Anas undulata (Yellow-billed Duck) 1 - North-west Europe/Black Sea & Fast Mediterranean 2c - North-west Europe/Black Sea & Fast Mediterranean 2c - Southern Africa (Nit O Angola & Zambia) 1 - E | | | 1 | |
| Spatula clypeata (Northern Shoveler) 1 • North-west & Central Europe (win) 1 • W Siberia, NE & E Europe/S Europe & West Africa 2c Mareca strepera strepera (Gadwall) 1 • North-west Furope 1 • North-west Furope (Eurasian Wigcon) 2c Mareca penelope (Eurasian Wigcon) 1 • Western Siberia/SW Asia & NE Africa 2c Mareca penelope (Eurasian Wigcon) 1 • Western Siberia/SW Asia & NE Africa 2c - Anas undulata undulata (Yellow-billed Duck) 1 - Southern Africa 1 - North-west Europe 1 - North-west Europe 1 - North-west Europe/West Mediterranean 2c - Western Siberia/South-west Asia 2c - Mas acquarkue west Asia 2c - Anas undulata undulata (Yellow-billed Duck) 1 - North-west Europe 1 - North-west Europe 1 - Southern Africa (Nt Alley) 1c | | | _ | |
| - North-west & Central Europe (win) 1 - W Siberia, NE & E Europe & West Africa 1 - W Siberia/SW Asia, NE & Eastern Africa 2c Mareca strepera strepera (Gadwall) 1 - North-west Europe 1 - North-west Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa (2c) Mareca penelope (Eurasian Wiggon) 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c Anas undulata undulata (Yellow-billed Duck) 2c - Southern Africa 1 - North-west Europe 1 - Southern Africa (N to Angola & Zambia) 1 - Lake | | | 1 | |
| - W Siberia, NE & E Europe & West Africa 1 - W Siberia/SW Asia, NE & Eastern Africa 2c - North-west Furope 1 - Western Siberia & NE Europe/NW Europe 1 - W Siberia/SW Asia & NE Africa 2c - Mareca penelope (Eurasian Wigeon) 1 - Western Siberia/SW Asia & NE Africa 2c - Anas undulata undulata (Yellow-billed Duck) 1 - Southern Africa 1 - North-west Europe/Black Sea & Mediterranean 1 - North-west Europe 1 - North-west Europe/Black Sea & East Mediterranean 2c - Western Siberia/South-west Asia 2c - Western Siberia/South-west Asia 2c - Western Siberia/South-west Asia 2c - Southern Africa (Rift Valley) 1c - Lake Chad basin ² 1 - Southern Africa (No to Angola & Zambia) 1 - Mana gazer 2 - Anas cacar Mrica 1 | | | 1 | |
| - W Siberia/SW Asia, NE & Eastern Africa 2c Marecas strepera strepera (Gadwall) 1 - North-west Europe 1 - North-west Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa (2c) Mareca penelope (Eurasian Wigeon) 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c Anas undulata undulata (Yellow-billed Duck) - - Southern Africa 1 - North-west Europe 1 - North-west Europe/Black Sea & East Mediterranean 2c - North-west Europe/Black Sea & East Mediterranean 2c - Hans capensis (Cape Teal) - - Eastern Africa (Rift Valley) 1c - Eastern Africa (Nito Angola & Zambia) 1 - Anas capensis (Cape Teal) - - Southern Africa 1 - Southern Africa (Rift Valley) 1c - Lastern Africa (Rift Valley) 1 - Southern Africa (Rift Valley) 1 - Southern Africa 1 - Southern Africa | • • • | | 1 | 1 |
| Mareca strepera strepera (Gadwall) 1 - North-west Europe 1 - North-east Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa (2c) Mareca penelope (Eurasian Wigeon) 1 - Western Siberia/SW Asia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c Anas undulata undulata (Yellow-billed Duck) 1 - Southern Africa 1 - North-west Europe 1 - North-west Europe/Black Sea & East Mediterranean 1 - North-west Europe/Black Sea & East Mediterranean 2c - Western Siberia/South-west Asia 2c - Western Siberia/South-west Asia 2c - Anas capensis (Cape Teal) 1 - Lake Chad basin ² 1 - Southern Africa (Rit Valley) 1c - Southern Africa 1 - Ma | | | 20 | 1 |
| - North-east Europe 1 - North-east Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa (2c) Mareca penelope (Eurasian Wigcon) 1 - Western Siberia & NE Europe/NW Europe 1 - W Stern Siberia/SW Asia & NE Africa 2c Anas undulata undulata (Yellow-billed Duck) 1 - Southern Africa 1 - North-west Europe 1 - Western Siberia/South-west Asia 2c Anas capensis (Cape Teal) 2c - Eastern Africa (Rift Valley) 1c - Eastern Africa (Rift Vo Angola & Zambia) 1 Anas capensis (Cape Teal) 1 - Southern Africa 1 - Southern Africa 1 - Madagascar 2 - Madagascar 2 - Mas aceuta (Northern Pintail) 1 | | | 20 | |
| - North-east Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa (2c) Mareca penelope (Eurasian Wigcon) 1 - Western Siberia & NE Europe/NW Europe 1 - W Siberia & NE Europe/Black Sea & Mediterranean 1 - W Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c Anas undulata undulata (Yellow-billed Duck) - - Southern Africa 1 Anas platyrhynchos platyrhynchos (Mallard) - - North-west Europe/West Mediterranean 2c - Western Siberia/South-west Asia 2c - Western Siberia/South-west Asia 2c - Western Africa (Rift Valley) 1c - Lake Chad basin ² 1c - Southern Africa (Not Angola & Zambia) 1 - Southern Africa 1 <td></td> <td></td> <td></td> <td>1</td> | | | | 1 |
| - Western Siberia/SW Asia & NE Africa (2c) Mareca penelope (Eurasian Wigeon) 1 - Western Siberia & NE Europe/NW Europe 1 - W Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c Anas indulata undulata (Yellow-billed Duck) 1 - Southern Africa 1 Anas platyrhynchos platyrhynchos (Mallard) 1 - North-west Europe/Black Sea & East Mediterranean 2c - Western Siberia/South-west Asia 2c - Western Siberia/South-west Asia 2c - Anas capensis (Cape Teal) 1 - Eastern Africa (Rift Valley) 1c - Lake Chad basin ² 1c - Southern Africa 1 - North-west Europe 1 - North-west Europe< | | | | 1 |
| Mareca penelope (Eurasian Wigeon) 1 -Western Siberia & NE Europe/NW Europe 1 -W Siberia & NE Europe/Black Sea & Mediterranean 1 -W Siberia & NE Europe/Black Sea & Mediterranean 1 -Western Siberia/SW Asia & NE Africa 2c Anas undulata undulata (Yellow-billed Duck) 1 - Southern Africa 1 - North-west Europe 1 - North-west Europe/West Mediterranean 2c - Western Siberia/South-west Asia 2c - Anas capensis (Cape Teal) 2c - Eastern Africa (Rif Valley) 1c - Eastern Africa (N to Angola & Zambia) 1 - Southern Africa 1 - Southern Africa 1 - Southern Africa 1 - Eastern Africa (N to Angola & Zambia) 1 - Southern Africa 1 - Southern Africa 1 - Southern Africa 1 - Madagascar 2 - Mas acuta (Northern Pintail) - - North-west Europe 1 - Western Siberia/SW Asia & Eastern Africa 2c - Mas acuta (Northern Pintail) - <t< td=""><td>A</td><td></td><td>(2c)</td><td>1</td></t<> | A | | (2c) | 1 |
| - Western Siberia & NE Europe/NW Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Anas undulata undulata (Yellow-billed Duck)1- Southern Africa1- North-west Europe1- North-West Europe/West Mediterranean2c- Northern Europe/West Mediterranean2c- Northern Europe/West Mediterranean2c- Western Siberia/South-west Asia2c- Anas acquents (Cape Teal)1- Eastern Africa (Rift Valley)1c- Lake Chad basin ² 1- Southern Africa (Nito Angola & Zambia)1- Southern Africa1- North-west Europe1- North-west Europe1- North-west Europe1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa2c- Mas acrea (Common Teal) North-west Europe1- Western Siberia/SW Asia & Eastern Africa2c- Mas creace (Common Teal)1- North-west Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Family PODICIPEDIDAE (grebes)1- Tachybaptus ruficollis (L | | | (20) | |
| - W Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c Anas undulata undulata (Yellow-billed Duck) 1 - Southern Africa 1 Anas playrhynchos platyrhynchos (Mallard) 1 - North-west Europe 1 - North-west Europe/West Mediterranean 2c - Western Siberia/South-west Asia 2c Anas capensis (Cape Teal) 1 - Eastern Africa (Rift Valley) 1c - Lake Chad basin ² 1 - Southern Africa (N to Angola & Zambia) 1 - Southern Africa 1 - Southern Africa 1 - Southern Africa 1 - Southern Africa 1 - Madagascar 2 - Anas care (Northern Pintail) 1 - Western Siberia/SW Asia & Eastern Africa 2 - North-west Europe 1 - Wisberia, NE & E Europe/S Europe & West Africa 2c - North-west Europe 1 - Western Siberia/SW Asia & Eastern Africa 2c - Madagascar 2c - Mas carcar carca (Common Teal) 1 | | | | 1 |
| - Western Siberia/SW Asia & NE Africa 2c Anas undulata undulata (Yellow-billed Duck) 1 - Southern Africa 1 Anas platyrhynchos platyrhynchos (Mallard) 1 - North-west Europe 1 - North-west Europe 1 - North-west Europe/West Mediterranean 2c - Western Siberia/South-west Asia 2c Anas capensis (Cape Teal) 2c - Eastern Africa (Rit Valley) 1c - Lake Chad basin ² 1c - Southern Africa (N to Angola & Zambia) 1 - Southern Africa 1 - Wadgascar 2 Anas acuta (Northern Pintail) 1 - North-west Europe 1 - Western Siberia/SW Asia & Eastern Africa 2c Anas crecca crecca (Common Teal) 1 - Wiberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa | · · · · · · · · · · · · · · · · · · · | | | 1 |
| Anas undulata undulata (Yellow-billed Duck) 1 - Southern Africa 1 Anas platyrhynchos platyrhynchos (Mallard) 1 - North-west Europe 1 - North-west Europe/West Mediterranean 1 - Northern Europe/West Mediterranean 2c - Western Siberia/South-west Asia 2c Anas capensis (Cape Teal) 1 - Eastern Africa (Rift Valley) 1c - Lake Chad basin ² 1c - Southern Africa (N to Angola & Zambia) 1 Anas erythrorhyncha (Red-billed Teal) 1 - Southern Africa 1 - Eastern Africa 1 - Southern Africa 1 - Southern Africa 1 - Southern Africa 1 - Southern Africa 1 - Wadgascar 2 Anas acuta (Northern Pintail) 1 - North-west Europe 1 - W Siberia, NE & E Europe/S Europe & West Africa 1 - W Siberia/SW Asia & Eastern Africa 2c - Madgascar 2c - Master Siberia/SW Asia & Ne Africa 1 - W Siberia & NE Europe/Black Sea & M | A | | 20 | 1 |
| Southern Africa1Anas platyrhynchos platyrhynchos (Mallard)1- North-west Europe1- Northern Europe/West Mediterranean1- Eastern Europe/Black Sea & East Mediterranean2c- Western Siberia/South-west Asia2cAnas capensis (Cape Teal)1- Eastern Africa (Rift Valley)1c- Lake Chad basin ² 1- Southern Africa (N to Angola & Zambia)1- Anas capentia (N to Angola & Zambia)1- Southern Africa1- Madagascar2- North-west Europe1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa2- North-west Europe1- North-west Europe1- North-west Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & Eastern Africa2c- Mas crecca crecca (Common Teal)1- North-west Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Tachybaptus ruficollis ruficollis (Little Grebe)1- Western Siberia/SW Asia & NE Africa1- Western Siberia/SW Asia & Mediterranean1- Western Siberia/SW Asia & Mediterranean1- Western Siberia/SW Asia & NE Africa1- Doctor-West Africa1- Europe & North | | | 20 | |
| Anas platyrhynchos platyrhynchos (Mallard) 1 - North-west Europe 1 - North-west Europe/West Mediterranean 2c - Eastern Europe/Black Sea & East Mediterranean 2c - Western Siberia/South-west Asia 2c Anas capensis (Cape Teal) 1 - Eastern Africa (Rift Valley) 1c - Lake Chad basin ² 1c - Southern Africa (N to Angola & Zambia) 1 Anas erythrorhyncha (Red-billed Teal) 1 - Southern Africa 1 - North-west Europe 1 - North-west Europe 1 - W Siberia, NE & E Europe/S Europe & West Africa 1 - Western Siberia/SW Asia & Eastern Africa 2c - North-west Europe 1 - W Siberia & NE Europe/Black Sea & Mediterranean 1 - W Siberia & NE Europe/Black Sea & Mediterranean 1 - W Siberia & NE Europe/Black Sea & Mediterranean 1 - W Siberia & NE Europe/Black Sea | | | | 1 |
| - North-west Europe1- Northern Europe/Black Sea & East Mediterranean2c- Eastern Europe/Black Sea & East Mediterranean2c- Western Siberia/South-west Asia2cAnas capensis (Cape Teal)1- Eastern Africa (Rift Valley)1c- Lake Chad basin ² 1c- Southern Africa (N to Angola & Zambia)1Anas erythrorhyncha (Red-billed Teal)1- Southern Africa1- North-west Europe1- North-west Europe1- North-west Europe1- North-west Europe1- North-west Europe1- North-west Europe1- North-west Europe/Black Sea & Mediterranean1- W Siberia & NE Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Family PODICIPEDIDAE (grebes)1- Tachybaptus ruficollis ruficollis (Little Grebe)1- Europe & North-west Africa1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | | 1 |
| - Northern Europe/West Mediterranean1- Eastern Europe/Black Sea & East Mediterranean2c- Western Siberia/South-west Asia2cAnas capensis (Cape Teal)1c- Eastern Africa (Rift Valley)1c- Lake Chad basin ² 1c- Southern Africa (N to Angola & Zambia)1- Manas erythrorhyncha (Red-billed Teal)1- Southern Africa1- Southern Africa1- Southern Africa1- Southern Africa1- Southern Africa1- North-west Europe1- North-west Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- Europe & North-west Africa1- Europe & West Africa1- Suppe & Sea & Mediterranean (win)3c | | | | 1 |
| - Eastern Europe/Black Sea & East Mediterranean2c- Western Siberia/South-west Asia2cAnas capensis (Cape Teal)1c- Eastern Africa (Rift Valley)1c- Lake Chad basin ² 1c- Southern Africa (N to Angola & Zambia)1- Southern Africa1- Southern Africa1- Southern Africa1- Madagascar2- Madagascar2- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa1- North-west Europe1- North-west Africa2c- Family PODICIPEDIDAE (grebes)1- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | 1 | | | 1 |
| - Western Siberia/South-west Asia2cAnas capensis (Cape Teal)1c- Eastern Africa (Rift Valley)1c- Lake Chad basin²1c- Southern Africa (N to Angola & Zambia)1Anas erythrorhyncha (Red-billed Teal)1- Southern Africa1- Southern Africa1- Southern Africa1- Madagascar2Anas acuta (Northern Pintail)1- North-west Europe1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa2c- North-west Europe1- Western Siberia/SW Asia & Eastern Africa2c- North-west Europe1- Western Siberia/SW Asia & NE Africa2c- Family PODICIPEDIDAE (grebes)1- Europe & North-west Africa1- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | * | | 2c | 1 |
| Anas capensis (Cape Teal)1c- Eastern Africa (Rift Valley)1c- Lake Chad basin²1c- Southern Africa (N to Angola & Zambia)1Anas erythrorhyncha (Red-billed Teal)1- Southern Africa1- Southern Africa1- Southern Africa1- Sastern Africa1- Sastern Africa1- Southern Africa1- Southern Africa1- Southern Africa1- Madagascar2- Madagascar2- North-west Europe1- North-west Europe1- Western Siberia/SW Asia & Eastern Africa2c- North-west Europe1- North-west Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Family PODICIPEDIDAE (grebes)1- Tachybaptus ruficollis ruficollis (Little Grebe)1- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | | |
| - Eastern Africa (Rift Valley)1c- Lake Chad basin²1c- Southern Africa (N to Angola & Zambia)1Anas erythrorhyncha (Red-billed Teal)1- Southern Africa1- Southern Africa1- Southern Africa1- Madagascar2Anas acuta (Northern Pintail)1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa1- Western Siberia/SW Asia & Eastern Africa2cAnas crecca crecca (Common Teal)1- North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- North-west Europe1- North-west Europe1- Western Siberia/SW Asia & ME Africa2c- North-west Europe1- Western Siberia/SW Asia & NE Africa1- Western Siberia/SW Asia & NE Africa1- Western Siberia/SW Asia & NE Africa1- Western Siberia/SW Asia & ME Africa1- Western Siberia/SW Asia & NE Africa1- Worth-west Africa1- Mathypeus ruficollis ruficollis (Little Grebe)1- Europe & North-west Africa1- Family PODICIPEDIDAE (grebes)1- Europe & North-west Africa1- Black Sea & Mediterranean (win)3c | | | | |
| - Lake Chad basin ² 1c- Southern Africa (N to Angola & Zambia)1Anas erythrorhyncha (Red-billed Teal)1- Southern Africa1- Southern Africa1- Bastern Africa1- Madagascar2Anas acuta (Northern Pintail)1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa1- W Siberia, NE & E Europe/S Europe & West Africa2cAnas crecca crecca (Common Teal)2c- North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- W Siberia & NE Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & Ne Africa2c- North-west Europe1- North-west Europe1- North-west Europe1- North-west Europe (Black Sea & Mediterranean1- Western Siberia/SW Asia & Ne Africa2c- Europe & North-west Africa1- Western Siberia/SW Asia & Mediterranean1- Western Siberia/SW Asia & Ne Africa1- Western Siberia/SW Asia & Ne Africa1- Western Siberia/SW Asia & Mediterranean1- Western Siberia/SW Asia & Mediterranean1 <td< td=""><td></td><td>1c</td><td></td><td></td></td<> | | 1c | | |
| - Southern Africa (N to Angola & Zambia)1Anas erythrorhyncha (Red-billed Teal)1- Southern Africa1- Eastern Africa1- Madagascar2Anas acuta (Northern Pintail)1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa1- W Siberia, NE & E Europe/S Europe & West Africa1- W Siberia, NE & E Europe/S Europe & West Africa1- W Siberia & NE & E Europe/S Europe & West Africa1- W Siberia & NE & Europe/S Europe & West Africa1- Western Siberia/SW Asia & Eastern Africa2cAnas crecca crecca (Common Teal)1- North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- W Siberia & NE Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Family PODICIPEDIDAE (grebes)1- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | | |
| Anas erythrorhyncha (Red-billed Teal)1- Southern Africa1- Eastern Africa1- Eastern Africa1- Madagascar2Anas acuta (Northern Pintail)1- North-west Europe1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa1- W Siberia, NE & E Europe/S Europe & West Africa1- Western Siberia/SW Asia & Eastern Africa2cAnas crecca crecca (Common Teal)1- North-west Europe1- North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Tachybaptus ruficollis ruficollis (Little Grebe) Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | 1 | |
| - Southern Africa1- Eastern Africa1- Madagascar2Anas acuta (Northern Pintail)1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa1- W Siberia, NE & E Europe/S Europe & West Africa2c- Western Siberia/SW Asia & Eastern Africa2c- North-west Europe1- North-west Europe1- North-west Europe1- North-west Europe1- North-west Europe/Black Sea & Mediterranean1- W Siberia & NE Europe/Black Sea & Mediterranean1- W Siberia & NE Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Morth-west Inficial/SW Asia & NE Africa2c- Europe & North-west Africa1- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | - | |
| - Eastern Africa1- Madagascar2Anas acuta (Northern Pintail)1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa1- W Siberia, NE & E Europe/S Europe & West Africa2c- Western Siberia/SW Asia & Eastern Africa2cAnas crecca crecca (Common Teal)1- North-west Europe1- North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Mestern Siberia/SW Asia & NE Africa2c- Family PODICIPEDIDAE (grebes)1- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | | 1 |
| - Madagascar2Anas acuta (Northern Pintail)1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa1- W Siberia, NE & E Europe/S Europe & West Africa2cAnas crecca crecca (Common Teal)2c- North-west Europe1- North-west Europe1- North-west Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Western Siberia/SW Asia & NE Africa2c- Emerge & North-west Africa2c- Europe & North-west Africa1- Europe & North-west Africa1- Black Sea & Mediterranean (win)3c | | | | 1 |
| Anas acuta (Northern Pintail)1- North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa1- Western Siberia/SW Asia & Eastern Africa2cAnas crecca crecca (Common Teal) North-west Europe1- North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Western Siberia/SW Asia & NE Africa2c- Europe & North-west Africa2c- Europe & North-west Africa1- Europe & North-west Africa1- Black Sea & Mediterranean (win)3c | | 2 | | - |
| - North-west Europe1- W Siberia, NE & E Europe/S Europe & West Africa1- Western Siberia/SW Asia & Eastern Africa2cAnas crecca crecca (Common Teal)1- North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- W Siberia & NE Europe/Black Sea & Mediterranean2c- Western Siberia/SW Asia & NE Africa2c- Western Siberia/SW Asia & NE Africa2c- Family PODICIPEDIDAE (grebes) Europe & North-west Africa1- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | | |
| - W Siberia, NE & E Europe/S Europe & West Africa1- Western Siberia/SW Asia & Eastern Africa2cAnas crecca crecca (Common Teal)1- North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- W Siberia & NE Europe/Black Sea & Mediterranean2c- Western Siberia/SW Asia & NE Africa2c- Western Siberia/SW Asia & NE Africa2c- Family PODICIPEDIDAE (grebes)1- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | · · · · · · · · · · · · · · · · · · · | | 1 | |
| - Western Siberia/SW Asia & Eastern Africa2cAnas crecca crecca (Common Teal)1- North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- W Siberia & NE Europe/Black Sea & Mediterranean2c- Western Siberia/SW Asia & NE Africa2c- Western Siberia/SW Asia & NE Africa2c- Europe & North-west Africa1- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | * | | 1 | 1 |
| Anas crecca crecca (Common Teal)I- North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- W Siberia & NE Europe/Black Sea & Mediterranean2c- Western Siberia/SW Asia & NE Africa2c- Family PODICIPEDIDAE (grebes)-Tachybaptus ruficollis ruficollis (Little Grebe) Europe & North-west Africa1Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)3c | | | 2c | - |
| - North-west Europe1- W Siberia & NE Europe/Black Sea & Mediterranean1- Western Siberia/SW Asia & NE Africa2c- Western Siberia/SW Asia & NE Africa2c- Family PODICIPEDIDAE (grebes) Europe & North-west Africa1- Europe & North-west Africa1- Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | | |
| - W Siberia & NE Europe/Black Sea & Mediterranean 1 - Western Siberia/SW Asia & NE Africa 2c Family PODICIPEDIDAE (grebes) 1 Tachybaptus ruficollis ruficollis (Little Grebe) 1 - Europe & North-west Africa 1 Podiceps grisegena grisegena (Red-necked Grebe) 1 - North-west Europe (win) 1 - Black Sea & Mediterranean (win) 3c | | | | 1 |
| - Western Siberia/SW Asia & NE Africa 2c Family PODICIPEDIDAE (grebes) - Tachybaptus ruficollis ruficollis (Little Grebe) - - Europe & North-west Africa 1 Podiceps grisegena grisegena (Red-necked Grebe) - - North-west Europe (win) 1 - Black Sea & Mediterranean (win) 3c | * | | | |
| Family PODICIPEDIDAE (grebes)Image: Constraint of the second | ▲ | | 2c | _ |
| Tachybaptus ruficollis ruficollis (Little Grebe)1- Europe & North-west Africa1Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | | |
| Tachybaptus ruficollis ruficollis (Little Grebe)1- Europe & North-west Africa1Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | Family PODICIPEDIDAE (grebes) | | | |
| - Europe & North-west Africa1Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | | |
| Podiceps grisegena grisegena (Red-necked Grebe)1- North-west Europe (win)1- Black Sea & Mediterranean (win)3c | | | | 1 |
| - North-west Europe (win)1- Black Sea & Mediterranean (win)3c | 1 | | | |
| - Black Sea & Mediterranean (win) 3c | | | 1 | |
| | | 3c | | |
| | - Caspian (win) | | | |

| Populations | Α | В | С |
|---|----------------------|----|-----|
| <i>Podiceps cristatus cristatus</i> (Great Crested Grebe, Eurasian Crested Grebe) | | | |
| - North-west & Western Europe | | | 1 |
| - Black Sea & Mediterranean (win) | | | 1 |
| - Caspian & South-west Asia (win) | 3c | | 1 |
| Podiceps cristatus infuscatus (Great Crested Grebe, African Crested | | | |
| Grebe) | | | |
| - Eastern Africa (Ethiopia to N Zambia) | 1c | | |
| - Southern Africa | 1c | | |
| Podiceps auritus auritus (Horned Grebe) | | | |
| - North-west Europe (large-billed) | 1c | | |
| - North-east Europe (small-billed) | 2 | | |
| - Caspian & South Asia (win) | 1c | | |
| Podiceps nigricollis nigricollis (Black-necked Grebe) | | | |
| - Europe/South & West Europe & North Africa | | | 1 |
| - Western Asia/South-west & South Asia | | 1 | |
| Podiceps nigricollis gurneyi (Black-necked Grebe) | | | |
| - Southern Africa | 2 | | |
| | | | |
| Family PHOENICOPTERIDAE (flamingos) | | | |
| Phoenicopterus roseus (Greater Flamingo) | | | |
| - West Africa | 3a | | |
| - Eastern Africa | 3a | | |
| - Southern Africa (to Madagascar) | 24 | 2a | |
| - West Mediterranean | | 2a | |
| - East Mediterranean | | 2a | |
| - South-west & South Asia | | 2a | |
| Phoeniconaias minor (Lesser Flamingo) | | 24 | |
| - West Africa | 2 | | |
| - Eastern Africa | 4 | | |
| - Southern Africa (to Madagascar) | 3a | | |
| | | | |
| Family PHAETHONTIDAE (tropicbirds) | | | |
| Phaethon aetherus aetherus (Red-billed Tropicbird) | - | | |
| - South Atlantic | 1c | | |
| Phaethon aetherus indicus (Red-billed Tropicbird) | | | |
| - Persian Gulf, Gulf of Aden, Red Sea | 1c | | |
| Phaethon rubricauda rubricauda (Red-tailed Tropicbird) | | | |
| - Indian Ocean | | 1 | |
| Phaethon lepturus lepturus (White-tailed Tropicbird) | | - | |
| - W Indian Ocean | | 1 | |
| Family RALLIDAE (rails, gallinules, coots) | | | |
| Sarothrura elegans reichenovi (Buff-spotted Flufftail) | | | |
| - S West Africa to Central Africa | | | (1) |
| Sarothrura elegans elegans (Buff-spotted Flufftail) | | | (1) |
| - NE, Eastern & Southern Africa | | | (1) |
| Sarothrura boehmi (Streaky-breasted Flufftail) | | | (1) |
| - Central Africa | 1c | | |
| Sarothrura ayresi (White-winged Flufftail) | 10 | | |
| - Ethiopia | 1a 1b 1c | | |
| - Southern Africa | 1a 1b 1c 1a 1b 1c | | |
| - Soumelli Allica | 101010 | | 45 |

| Populations | Α | В | С |
|--|----------|----|-----|
| Rallus aquaticus aquaticus (Western Water Rail) | | | |
| - Europe & North Africa | | 2c | |
| Rallus aquaticus korejewi (Western Water Rail) | | | |
| - Western Siberia/South-west Asia | | | (1) |
| Rallus caerulescens (African Rail) | | | |
| - Southern & Eastern Africa | | | (1) |
| Crex egregia (African Crake) | | | |
| - Sub-Saharan Africa | | | (1) |
| Crex crex (Corncrake) | | | |
| - Europe & Western Asia/Sub-Saharan Africa | | | 1 |
| Porzana porzana (Spotted Crake) | | | |
| - Europe/Africa | | 2d | |
| Zapornia flavirostra (Black Crake) | | | |
| - Sub-Saharan Africa | | | 1 |
| Zapornia parva (Little Crake) | | | - |
| - Western Eurasia/Africa | | 2c | |
| Zapornia pusilla intermedia (Baillon's Crake) | | | |
| - Europe (bre) | 1c | | |
| Amaurornis marginalis (Striped Crake) | 10 | | |
| - Sub-Saharan Africa | (2) | | |
| Porphyrio alleni (Allen's Gallinule) | (2) | | |
| - Sub-Saharan Africa | | | (1) |
| Gallinula chloropus chloropus (Common Moorhen) | | | (1) |
| - Europe & North Africa | | | 1 |
| - West & South-west Asia | | | (1) |
| Gallinula angulata (Lesser Moorhen) | | | (1) |
| - Sub-Saharan Africa | | | (1) |
| Fulica cristata (Red-knobbed Coot) | | | (1) |
| - Sub-Saharan Africa | | | 1 |
| - Spain & Morocco | 1c | | 1 |
| Fulica atra atra (Common Coot) | 10 | | |
| - North-west Europe (win) | | 2c | |
| - Black Sea & Mediterranean (win) | | 20 | 1 |
| - South-west Asia (win) | | | (1) |
| | | | (1) |
| Family GRUIDAE (cranes) | | | |
| Balearica regulorum regulorum (Grey Crowned-crane, South | | | |
| African Crowned-crane) | | | |
| - Southern Africa (N to Angola & S Zimbabwe) | 1b 1c | | |
| Balearica regulorum gibbericeps (Grey Crowned-crane, East | 10 10 | | |
| African Crowned-crane) | | | |
| - Eastern Africa (Kenya to Mozambique) | 1b 3c | | |
| Balearica pavonina pavonina (Black Crowned-crane, West African | 10.50 | | |
| Crowned-crane) | | | |
| - West Africa (Senegal to Chad) | 1b 1c | | |
| Balearica pavonina ceciliae (Black Crowned-crane, Sudan | 10 10 | | |
| Crowned-crane) | | | |
| - Eastern Africa (Sudan to Uganda) | 1b 3c | | |
| Leucogeranus leucogeranus (Siberian Crane) | 10.50 | | |
| - Iran (win) | 1a 1b 1c | | |
| Bugeranus carunculatus (Wattled Crane) | 14 10 10 | | |
| - Central & Southern Africa | 1b 1c | | |
| 46 | 10 10 | 1 | |

| Populations | Α | В | С |
|--|-------|------|---|
| Anthropoides paradiseus (Blue Crane) | | | |
| - Extreme Southern Africa | 1b 3c | | |
| Anthropoides virgo (Demoiselle Crane) | | | |
| - Black Sea (Ukraine)/North-east Africa | 1c | | |
| - Turkey (bre) | 1c | | |
| - Kalmykia/North-east Africa | | 1 | |
| Grus grus grus (Common Crane) | | | |
| - North-west Europe/Iberia & Morocco | | | 1 |
| - North-east & Central Europe/North Africa | | | 1 |
| - Eastern Europe/Turkey, Middle East & NE Africa | | | 1 |
| - Western Siberia/South Asia | | (1) | |
| Grus grus archibaldi (Common Crane) | | (1) | |
| - Turkey & Georgia (bre) | 1c | | |
| | 10 | | |
| Family GAVIIDAE (loons / divers) | | | |
| Gavia stellata (Red-throated Loon) | | | |
| - North-west Europe (win) | | 2c | |
| - Caspian, Black Sea & East Mediterranean (win) | 1c | | |
| Gavia arctica arctica (Arctic Loon) | | | |
| - Northern Europe & Western Siberia/Europe | | 2c | |
| - Central Siberia/Caspian | 1c | | |
| Gavia immer (Common Loon) | | | |
| - Europe (win) | 1c | | |
| Gavia adamsii (Yellow-billed Loon) | 10 | | |
| - Northern Europe (win) | 1c | | |
| | | | |
| Family SPHENISCIDAE (penguins) | | | |
| Spheniscus demersus (African Penguin) | | | |
| - Southern Africa | 1b | | |
| | | | |
| Family CICONIIDAE (storks) | | | |
| Leptoptilos crumenifer (Marabou) | | | |
| - Sub-Saharan Africa | | | 1 |
| Mycteria ibis (Yellow-billed Stork) | | | |
| - Sub-Saharan Africa (excluding Madagascar) | | | 1 |
| Anastomus lamelligerus lamelligerus (African Openbill) | | | |
| - Sub-Saharan Africa | | | 1 |
| Ciconia nigra (Black Stork) | | | |
| - Southern Africa | 1c | | |
| - South-west Europe/West Africa | 1c | | |
| - Central & Eastern Europe/Sub-Saharan Africa | | 1 | |
| Ciconia abdimii (Abdim's Stork) | | | |
| - Sub-Saharan Africa & SW Arabia | | (2c) | |
| Ciconia microscelis (African Woollyneck) | | | |
| - Sub-Saharan Africa | | (1) | |
| Ciconia ciconia (White Stork) | | | |
| - Southern Africa | 1c | | |
| - W Europe & North-west Africa/Sub-Saharan Africa | | 2b | |
| - Central & Eastern Europe/Sub-Saharan Africa | | | 1 |
| - Western Asia/South-west Asia | | | |
| 11 OSCOTI 1 1010/ DOULI 11 0001 1 1010 | 3c | | |

| Populations | Α | В | С |
|---|----------|-----|-------|
| Family THRESKIORNITHIDAE (ibises, spoonbills) | | | |
| Platalea alba (African Spoonbill) | | | |
| - Sub-Saharan Africa | | 1 | |
| Platalea leucorodia leucorodia (Eurasian Spoonbill) | | | |
| - West Europe/West Mediterranean & West Africa | 2 | | |
| - C & SE Europe/Mediterranean & Tropical Africa | 2 | | |
| - Western Asia/South-west & South Asia | 2 | | |
| Platalea leucorodia balsaci (Eurasian Spoonbill) | | | |
| - Coastal West Africa (Mauritania) | 1c | | |
| Platalea leucorodia archeri (Eurasian Spoonbill) | 10 | | |
| - Red Sea & Somalia | 1c | | |
| Threskiornis aethiopicus (African Sacred Ibis) | 10 | | |
| - Sub-Saharan Africa | | | 1 |
| - Iraq & Iran | 1c | | 1 |
| Geronticus eremita (Northern Bald Ibis) | 10 | | |
| - Morocco | 1a 1b 1c | | |
| - South-west Asia | 1a 1b 1c | | |
| Plegadis falcinellus (Glossy Ibis) | 1010 | | |
| - Sub-Saharan Africa (bre) | | 1 | |
| - Sub-Sanaran Africa (ble) - Black Sea & Mediterranean/West Africa | 3c | I | |
| | 30 | (1) | |
| - South-west Asia/Eastern Africa | | (1) | |
| Family ARDEIDAE (herons) | | | |
| Botaurus stellaris stellaris (Eurasian Bittern) | | | |
| - W Europe, NW Africa (bre) | 1c | | |
| - C & E Europe, Black Sea & E Mediterranean (bre) | | 2c | |
| - South-west Asia (win) | | 1 | |
| Botaurus stellaris capensis (Eurasian Bittern) | | | |
| - Southern Africa | 1c | | |
| Ixobrychus minutus minutus (Common Little Bittern) | | | |
| - W Europe, NW Africa/Subsaharan Africa | 2 | | |
| - C & E Europe, Black Sea & E Mediterranean/Sub-saharan Africa | | 2c | |
| - West & South-west Asia/Sub-Saharan Africa | | (1) | |
| Ixobrychus minutus payesii (Common Little Bittern) | | | |
| - Sub-Saharan Africa | | (1) | |
| Ixobrychus sturmii (Dwarf Bittern) | | | |
| - Sub-Saharan Africa | | (1) | |
| Nycticorax nycticorax nycticorax (Black-crowned Night-heron) | | | |
| - Sub-Saharan Africa & Madagascar | | | 1 |
| - W Europe, NW Africa (bre) | 3c | | - |
| - C & E Europe/Black Sea & E Mediterranean (bre) | | | 1 |
| - Western Asia/SW Asia & NE Africa | | (1) | 1 |
| Ardeola ralloides ralloides (Squacco Heron) | | (1) | |
| - SW Europe, NW Africa (bre) | 1c | | |
| - C & E Europe, Black Sea & E Mediterranean (bre) | 3c | | ┼───┤ |
| - West & South-west Asia/Sub-Saharan Africa | 50 | (1) | ┼───┤ |
| Ardeola ralloides paludivaga (Squacco Heron) | | (1) | |
| - Sub-Saharan Africa & Madagascar | | | (1) |
| Ardeola idae (Madagascar Pond-heron) | | | (1) |
| - Madagascar & Aldabra/Central & Eastern Africa | 1a 1b 1c | | |
| - mauazastai & Anuana/Utiniai & Easterii Ainta | | | |

| Inteolar ufficentris (Rufous-bellied Heron) (1) Bubulcus ibis ibis (Cattle Egret) (1) Southern Africa 1 -Tropical Africa 1 -South-west Europe 1 -North-west Africa 1 -South-west Africa 1 -North-west Africa 1 -North-west Africa 1 -Northern & Western Europe 1 -Northern & Western Europe 1 -Sub-Saharan Africa 11 -Northern & Western Europe 11 -Central & Fastern Furope 11 -Sub-Saharan Africa 11 -West & South-west Asia (bre) 11 -Ardea purpurea purpurea (Parple Heron) 1 -Tropical Africa 1 -West Europe, Black Sea & Mediterreanean/West Africa 3c -Fast Furope, Black Sea & Mediterreanean 1 -West Europe, Black Sea & Mediterreanean 1 -West Europe, Black Sea & Mediterreanean 1 -West Europe, Black Sea & Mediterreanean 1 -Sub-Saharan Africa 1 -Sub-Saharan Africa 1 -Sub-Saharan Africa <t< th=""><th>Populations</th><th>Α</th><th>В</th><th>С</th></t<> | Populations | Α | В | С |
|--|--|----------|------|-----|
| Bubulcus ibis ibis (Cattle Egret) I - Southern Africa 1 - Tropical Africa 1 - South-west Europe 1 - North-west Africa 1 - East Mediterranean & South-west Asia 1 Ardea cinerea cinerea (Grey Heron) 1 - Sub-Saharan Africa 1 - North-west Africa time and the same | Ardeola rufiventris (Rufous-bellied Heron) | | | |
| - South-west Furope 1 - Tropical Africa 1 - South-west Furope 1 - North-west Africa 1 - East Mediterranean & South-west Asia 1 - Ardea cinerea (Grey Heron) 1 - Sub-Saharan Africa 1 - Northen & Westem Europe 1 - Central & Eastern Europe 1 - Central & Eastern Europe 1 - Central & Eastern Europe 1 - Tropical Africa 1 - Tropical Africa 1 - Tropical Africa 1 - Tropical Africa 1 - West & South-west Asia 3c - East Europe Black Sea & Mediterranean/West Africa 3c - East Europe Black Sea & Mediterranean Africa 1 - W, C & SF Europe/Black Sea & Mediterranean 1 - W, C & SF Europe/Black Sea & Mediterranean 1 - Sub-Saharan Africa & Mediagescar 1 - Sub-Saharan Africa & Mite Egret, African Great 1 Egreti 1 1 - Sub-Saharan Africa 1 1 - Sub-Saharan Africa 1 1 | - Central, Eastern & Southern Africa | | (1) | |
| - South-west Furope 1 - Tropical Africa 1 - South-west Furope 1 - North-west Africa 1 - East Mediterranean & South-west Asia 1 - Ardea cinerea (Grey Heron) 1 - Sub-Saharan Africa 1 - Northen & Westem Europe 1 - Central & Eastern Europe 1 - Central & Eastern Europe 1 - Central & Eastern Europe 1 - Tropical Africa 1 - Tropical Africa 1 - Tropical Africa 1 - Tropical Africa 1 - West & South-west Asia 3c - East Europe Black Sea & Mediterranean/West Africa 3c - East Europe Black Sea & Mediterranean Africa 1 - W, C & SF Europe/Black Sea & Mediterranean 1 - W, C & SF Europe/Black Sea & Mediterranean 1 - Sub-Saharan Africa & Mediagescar 1 - Sub-Saharan Africa & Mite Egret, African Great 1 Egreti 1 1 - Sub-Saharan Africa 1 1 - Sub-Saharan Africa 1 1 | Bubulcus ibis ibis (Cattle Egret) | | | |
| South-west Europe 1 - North-west Africa 1 - East Mediterranean & South-west Asia 1 Ardea cinerea cinerea (Grey Heron) 1 - Sub-Saharan Africa 1 - Northern & Western Europe 1 - Central & Easten Europe 1 - West & South-west Asia (bre) (1) Ardea anelanocephala (Black-headed Heron) 1 - Sub-Saharan Africa 1 - Tropical Africa 1 - Tropical Africa 1 - Tropical Africa 1 - Tropical Africa 1 - West Europe & West Mediterranean/West Africa 3c - East Europe Black Sea & Mediterranean Africa 2(2e) - Ardea alba alba (Great White Egret, Western Great Egret) - - W. C & SE Europe/Black Sea & Mediterranean 1 - Western Asia 3c - - Sub-Saharan Africa & Madagascar 11 - Sub-Saharan Africa & Madagascar 1 - Egretta vinaceigula (Slaty Egret) - - - Central Southern Africa 1 - Egretta vinaceigula (Slaty Egret) - - <td></td> <td></td> <td></td> <td>1</td> | | | | 1 |
| • North-west Africa 1 • East Mediterranean & South-west Asia 1 • Telea cinerea (Grey Heron) 1 • Sub-Saharan Africa 1 • Northern & Western Furope 1 • Central & Eastern Europe 1 • Central & Eastern Europe 1 • Central & Eastern Europe 1 • Sub-Saharan Africa (1) • Tropical Africa 1 • Tropical Africa 1 • Tropical Africa 1 • West Europe & West Mediterranean/West Africa 3c • Ardea alba alba (Great White Egret, Nestern Great Egret) 1 • West Europe, Black Sea & Mediterranean 3c • Ardea alba alba (Great White Egret, African Great 1 • Egret) - • Sub-Saharan Africa 1 | - Tropical Africa | | | 1 |
| - East Mediterranean & South-west Asia 1 Ardea cinerea cinerea (Grey Heron) 1 - Sub-Saharan Africa 1 - Northern & Western Europe 1 - Central & Eastern Europe 1 - West & South-west Asia (bre) (1) Ardea melanocephala (Black-headed Heron) 1 - Sub-Saharan Africa 1 Ardea purpure a purpure a (Purple Heron) 1 - Tropical Africa 1 - East Europe, Black Sea & Mediterranean/West Africa 3c - East Europe, Black Sea & Mediterranean 1 - W, C & SF Europe, Black Sea & Mediterranean 1 - W, C & SF Europe, Black Sea & Mediterranean 1 - W, C & SF Europe, Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c - East Europe, Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c - Sub-Saharan Africa & Madagascar 1 - Sub-Saharan Africa 1 Egretta vanceigula (Blaty Egret) - - Central Southern Africa 1 Egretta zgarzetta garzetta (Little Egret) - - Sub-Saharan Africa 1 | - South-west Europe | | | 1 |
| Ardea cinerea (Grey Heron) 1 Sub-Saharan Africa 1 Northern & Westen Europe 1 - Central & Eastern Europe 1 - West & South-west Asia (bre) (1) Ardea melanocephola (Black-headed Heron) 1 - Sub-Saharan Africa (1) - Tropical Africa 1 - Tropical Africa 1 - Tropical Africa 1 - West Europe & West Mediterranean/West Africa 3c - East Europe, Black Sea & Mediterranean 1 - West Europe Black Sea & Mediterranean 1 - West Main Ferget, Western Great Egret) - - W, C & SE Europe/Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c Ardea alba melanorhynchos (Great White Egret, African Great 1 Egretta ardesiaca (Black Heron) - - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) - - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) - - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) - - Sub-Saharan Africa 1 | - North-west Africa | | | 1 |
| Sub-Saharan Africa 1 Northern & Western Europe 1 Central & Eastern Europe 1 West & South-west Asia (bre) (1) Ardea melanocephala (Black-headed Heron) 1 Sub-Saharan Africa (1) Ardea melanocephala (Black-headed Heron) 1 Sub-Saharan Africa (1) Ardea melanocephala (Black-headed Heron) 1 Tropical Africa 1 - East Europe, Black Sea & Mediterranean/West Africa 3c - East Europe, Black Sea & Mediterranean 1 - W, C & SE Europe, Black Sea & Mediterranean 1 - W, C & SE Europe, Black Sea & Mediterranean 1 - W, C & SE Europe, Black Sea & Mediterranean 1 - W, C & SE Europe, Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c Ardea alba melanorhynchos (Great White Egret, African Great Egret) 1 - Sub-Saharan Africa & Madagascar 1 Egretto 1 1 Egretta vinaccigula (Slatk Heron) 1 - Sub-Saharan Africa 1 1 Egretta vinaccigula (Slatk Heron) 1 1 | - East Mediterranean & South-west Asia | | 1 | |
| - Northern & Western Europe 1 - Central & Eastern Europe 1 - West & South-west Asia (bre) (1) Ardea melanocephala (Black-headed Heron) (1) - Sub-Saharan Africa (1) Ardea purpurea purpurea (Purple Heron) (1) - Tropical Africa 1 - West & Europe, & West Mediterranean/West Africa 3c - East Europe, Black Sea & Mediterranean/West Africa 3c - Fast Europe/Black Sea & Mediterranean 1 - West Asia/South-west Asia 3c - West Asia/South-west Asia 3c - Sub-Saharan Africa & Madagascar (1) - Sub-Saharan Africa & Madagascar 1 - Sub-Saharan Africa 1 - Central & Gurde (Slat | Ardea cinerea cinerea (Grey Heron) | | | |
| - Central & Eastern Europe 1 - West & South-west Asia (bre) (1) - Ardea melanocephala (Black-headed Heron) (1) - Sub-Saharan Africa (1) - Tropical Africa 1 - West Furope & West Mediterranean/West Africa 3c - East Europe, Black Sea & Mediterrean/Sub-Saharan Africa (2c) - Ardea alba alba (Great White Egret, Western Great Egret) - - W, C & SE Europe/Black Sea & Mediterranean 1 - West En unope Black Sea & Mediterranean 1 - West Er Europe/Black Sea & Mediterranean 1 - W, C & SE Europe/Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c - Sub-Saharan Africa & Madagascar (1) - Sub-Saharan Africa 1 Egret) - - Sub-Saharan Africa 1 - Sub-Saharan Africa 1< | - Sub-Saharan Africa | | | 1 |
| - Central & Eastern Europe 1 - West & South-west Asia (bre) (1) - Ardea melanocephala (Black-headed Heron) (1) - Sub-Saharan Africa (1) - Tropical Africa 1 - West Furope & West Mediterranean/West Africa 3c - East Europe, Black Sea & Mediterrean/Sub-Saharan Africa (2c) - Ardea alba alba (Great White Egret, Western Great Egret) - - W, C & SE Europe/Black Sea & Mediterranean 1 - West En unope Black Sea & Mediterranean 1 - West Er Europe/Black Sea & Mediterranean 1 - W, C & SE Europe/Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c - Sub-Saharan Africa & Madagascar (1) - Sub-Saharan Africa 1 Egret) - - Sub-Saharan Africa 1 - Sub-Saharan Africa 1< | - Northern & Western Europe | | | 1 |
| Ardea melanocephala (Black-headed Heron) | * | | | 1 |
| - Sub-Saharan Africa (1) Ardea purpurea purpurea (Purple Heron) 1 - Tropical Africa 1 - West Europe & West Mediterranean/West Africa 3c - East Europe, Black Sea & Meditercean/Sub-Saharan Africa (2c) Ardea alba dba (Great White Egret, Western Great Egret) - - W, C & SE Europe/Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c Ardea alba melanor/hynchos (Great White Egret, African Great - Egret) - - Sub-Saharan Africa & Madagascar (1) Ardea brachyrhyncha (Yellow-billed Egret) - - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) - - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) - - Central Southern Africa 1 Egretta garzetta garzetta (Little Egret) - - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Central Sout | - West & South-west Asia (bre) | | (1) | |
| - Sub-Saharan Africa (1) Ardea purpurea purpurea (Purple Heron) 1 - Tropical Africa 1 - West Europe & West Mediterranean/West Africa 3c - East Europe, Black Sea & Meditercean/Sub-Saharan Africa (2c) Ardea alba dba (Great White Egret, Western Great Egret) - - W, C & SE Europe/Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c Ardea alba melanor/hynchos (Great White Egret, African Great - Egret) - - Sub-Saharan Africa & Madagascar (1) Ardea brachyrhyncha (Yellow-billed Egret) - - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) - - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) - - Central Southern Africa 1 Egretta garzetta garzetta (Little Egret) - - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Central Sout | Ardea melanocephala (Black-headed Heron) | | | |
| Ardea purpurea purpurea (Purple Heron) 1 - Tropical Africa 1 - West Europe & West Mediterranean/West Africa 3c - East Europe, Black Sea & Mediterranean/Sub-Saharan Africa (2c) Ardea alba alba (Great White Egret, Western Great Egret) 1 - W, C & SE Europe/Black Sea & Mediterranean 1 - W, C & SE Europe/Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c Ardea alba melanorhynchos (Great White Egret, African Great 1 Egret) - - Sub-Saharan Africa & Madagascar (1) - Sub-Saharan Africa 1 Egretta ardesizac Black Heron) - - Sub-Saharan Africa 1 Egretta ardesizac Black Heron) - - Sub-Saharan Africa 1 Egretta garzetta (Black Heron) - - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Central wataceigula (Slaty Egret) - - Central Southern Africa 1 - Western Furope, NW Africa 1 - Cent | | | | (1) |
| - Tropical Africa 1 - West Europe & West Mediterranean/West Africa 3c - East Europe, Black Sea & Mediterrean/Sub-Saharan Africa (2c) - Ardea alba alba (Great White Egret, Western Great Egret) 1 - W, C & SE Europe/Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c Ardea alba melanor/hynchos (Great White Egret, African Great 2 Egret) 1 - Sub-Saharan Africa & Madagascar 1 - Sub-Saharan Africa 1 Egreti 1 - Sub-Saharan Africa 1 Egretia ardesiaca (Black Heron) 1 - Sub-Saharan Africa 1 Egretia vinaceigula (Slaty Egret) - - Central Southern Africa 1 Egretia garzetta garzetta (Little Egret) 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Central Southern Africa 1 - Central & E Europe, Black Sea, E Mediterranean 1 - Vestern Asia/SW Asia, NE & Eastern Africa (1) - Egretta gularis gularis (Western Reef-egret) 2 - West Africa 2 | Ardea purpurea purpurea (Purple Heron) | | | |
| - West Europe, Black Sea & Mediterranean/West Africa 3c - East Europe, Black Sea & Mediterean/Sub-Saharan Africa (2c) Ardea alba alba (Great White Egret, Western Great Egret) 1 - W, C & SE Europe/Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c Ardea alba melanorhynchos (Great White Egret, African Great 1 Egret) - - Sub-Saharan Africa & Madagascar (1) Ardea brachyrhyncha (Yellow-billed Egret) - - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) - - Sub-Saharan Africa 1 Egretta garzetta garzetta garzetta (Little Egret) - - Central Southern Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa | | | 1 | |
| - East Europe, Black Sea & Meditereean/Sub-Saharan Africa (2c) Ardea alba alba (Great White Egret, Western Great Egret) 1 - W, C & SE Europe/Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c Ardea alba melanorhynchos (Great White Egret, African Great 3c Egret) 1 - Sub-Saharan Africa & Madagascar (1) Ardea brachyrhyncha (Yellow-billed Egret) 1 - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) 1 - Sub-Saharan Africa 1 Egretta vinaceigula (Slaty Egret) 1 - Central Southern Africa 1 Egretta vinaceigula (Slaty Egret) 1 - Sub-Saharan Africa 1 Egretta vinaceigula (Slaty Egret) 1 - Central Southern Africa 1 Egretta garzetta garzetta (Little Egret) 1 - Sub-Saharan Africa 1 - Central & E Europe, Black Sea, E Mediterranean 1 - Vestern Asia/SW Asia, NE & Eastern Africa 1 - Western Reif-egret) 2 - Egretta gularis gularis (Western Reef-egret) 2 - North-east Africa & Red Se | | 3c | | |
| Ardea alba alba (Great White Egret, Western Great Egret) 1 -W, C & SE Europe/Black Sea & Mediterranean 1 -Western Asia/South-west Asia 3c Ardea alba melanorhynchos (Great White Egret, African Great 1 Egret) 1 - Sub-Saharan Africa & Madagascar (1) Ardea brachynhyncha (Yellow-billed Egret) 1 - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) 1 - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Western Europe, NW Africa 1 - Western Europe, NW Africa 1 - West Africa | | | (2c) | |
| - W, C & SE Europe/Black Sea & Mediterranean 1 - Western Asia/South-west Asia 3c Ardea alba melanorhynchos (Great White Egret, African Great 2 Egret) 1 - Sub-Saharan Africa & Madagascar (1) Ardea brachyrhyncha (Yellow-billed Egret) 1 - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) 1 - Sub-Saharan Africa 1 Egretta vinaceigula (Slaty Egret) 1 - Central Southern Africa 1 Egretta garzetta garzetta garzetta (Little Egret) 1 - Western Europe, NW Africa 1 - Central & E Europe, Black Sea, E Mediterranean 1 - Western Asia/SW Asia, NE & Eastern Africa (1) Egretta gularis gularis (Western Reef-egret) 1 - West Africa 2 Egretta gularis schistacea (Western Reef-egret) 1 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 Egretta gularis dimorpha (Western Reef-egret) 1 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 - Contral Eastern Africa <t< td=""><td></td><td></td><td></td><td></td></t<> | | | | |
| - Western Asia/South-west Asia 3c Ardea alba melanorhynchos (Great White Egret, African Great 1 Egret) (1) Ardea brachyrhyncha (Yellow-billed Egret) 1 - Sub-Saharan Africa & Madagascar 1 Egretta ardesiaca (Black Heron) 1 - Sub-Saharan Africa 1 Egretta vinaceigula (Slaty Egret) 1 - Central Southern Africa 1 Egretta garzetta garzetta (Little Egret) 1 - Central Southern Africa 1 I - Central Southern Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Central & E Europe, NW Africa 1 - Central & E Europe, Black Sea, E Mediterranean 1 - Western Asia/SW Asia, NE & Eastern Africa 1 - West Africa 2 - West Africa 2 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 - South-west Asia & South Asia 2 | | | 1 | |
| Ardea alba melanorhynchos (Great White Egret, African Great Egret) (1) - Sub-Saharan Africa & Madagascar (1) Ardea brachyrhyncha (Yellow-billed Egret) (1) - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) 1 - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) 1 - Central Southern Africa 1 Egretta garzetta garzetta garzetta (Little Egret) - - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Sub-Saharan Africa 1 - Central & E Europe, NW Africa 1 - Western Europe, NW Africa 1 - Western Asia/SW Asia, NE & Eastern Africa (1) Egretta gularis gularis (Western Reef-egret) - - West Africa & Red Sea 2 - South-west Africa & Red Sea 2 - Coastal Eastern Africa 2 Egretta gularis dimorpha | | 3c | | |
| Egret)(1)- Sub-Saharan Africa & Madagascar(1)Ardea brachyrhyncha (Yellow-billed Egret)(1)- Sub-Saharan Africa1Egretta ardesiaca (Black Heron)1- Sub-Saharan Africa1Egretta ardesiaca (Black Heron)1- Central Southern Africa1- Sub-Saharan Africa1- Sub-Saharan Africa1- Central & E Europe, Black Sea, E Mediterranean1- Central & E Europe, Black Sea, E Mediterranean1- Western Asia/SW Asia, NE & Eastern Africa(1)- Western Asia/SW Asia, NE & Eastern Africa2- West Africa2- Sub-sharae a (Western Reef-egret) North-east Africa & Red Sea2- South-west Asia & South Asia2- Coastal Eastern Africa2- Coastal Eastern Africa2- Coastal Eastern Africa2- Central Tropical Africa1- Central Tropical Africa< | | | | |
| - Sub-Saharan Africa & Madagascar (1) Ardea brachyrhyncha (Yellow-billed Egret) 1 - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa 1 - Central Southern Africa 1 - Central Southern Africa (1) - Sub-Saharan Africa (1) - Central & Europe, NW Africa 1 - Central & E Europe, NW Africa 1 - Central & E Europe, Black Sea, E Mediterranean 1 - Western Asia/SW Asia, NE & Eastern Africa (1) - West Africa 2 - West Africa 2 - West Africa 2 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 - Coastal Eastern Africa 2 - Coastal Eastern Africa 2 | | | | |
| Ardea brachyrhyncha (Yellow-billed Egret)1- Sub-Saharan Africa1Egretta ardesiaca (Black Heron)1- Sub-Saharan Africa1Egretta vinaceigula (Slaty Egret)1- Central Southern Africa1b 1cEgretta garzetta garzetta (Little Egret)1- Sub-Saharan Africa1- Sub-Saharan Africa1- Central Southern Africa1- Sub-Saharan Africa1- Sub-Saharan Africa1- Sub-Saharan Africa11- Vestern Europe, NW Africa1- Central & E Europe, Black Sea, E Mediterranean1- Western Asia/SW Asia, NE & Eastern Africa(1)- Western Asia/SW Asia, NE & Eastern Africa2- West Africa2- West Africa & Red Sea2- North-east Africa & Red Sea2- South-west Asia & South Asia2- Coastal Eastern Africa2- Coastal Eastern Africa1- Central Tropical Africa1- Central Tropical Africa1- Central Tropical Africa1- Delecanus crispus (Dalmatian Pelican)1- Black Sea & Mediterranean (win)1- Black Sea & Mediterranean (win)1 | | | | (1) |
| - Sub-Saharan Africa 1 Egretta ardesiaca (Black Heron) 1 - Sub-Saharan Africa 1 Egretta vinaceigula (Slaty Egret) 1 - Central Southern Africa 1b 1c - Central Southern Africa 1 - Sub-Saharan Africa 1 - Sub-Saharan Africa (1) - Western Europe, NW Africa 1 - Central & E Europe, Black Sea, E Mediterranean 1 - Western Asia/SW Asia, NE & Eastern Africa (1) - Western Asia/SW Asia, NE & Eastern Africa (1) - West Africa 2 - West Africa & Red Sea 2 - North-east Africa & Red Sea 2 - North-west Asia & South Asia 2 Egretta gularis dimorpha (Western Reef-egret) - - Coastal Eastern Africa 2 - Coastal Eastern Africa 2 - Coastal Eastern Africa 2 - Coastal Eastern Africa 1 - Coastal Eastern Africa 1 - Coastal Eastern Africa 2 - Coastal Eastern Africa 1 - Coastal Eastern Africa 1 - Coastal Eastern | | | | |
| - Sub-Saharan Africa 1 Egretta vinaceigula (Slaty Egret) 1 - Central Southern Africa 1b 1c Egretta garzetta garzetta (Little Egret) (1) - Sub-Saharan Africa (1) - Western Europe, NW Africa 1 - Central & E Europe, Black Sea, E Mediterranean 1 - Western Asia/SW Asia, NE & Eastern Africa (1) - Western Asia/SW Asia, NE & Eastern Africa (1) - West Africa 2 - West Africa & Cell Sea 2 - West Africa & Red Sea 2 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 - South-west Asia & South Asia 2 - Coastal Eastern Africa 1 - Central Tropical Africa 1 - Central | | | 1 | |
| - Sub-Saharan Africa 1 Egretta vinaceigula (Slaty Egret) 1 - Central Southern Africa 1b 1c Egretta garzetta garzetta (Little Egret) 1 - Sub-Saharan Africa (1) - Western Europe, NW Africa 1 - Central & E Europe, Black Sea, E Mediterranean 1 - Western Asia/SW Asia, NE & Eastern Africa (1) - Western Asia/SW Asia, NE & Eastern Africa (1) - West Africa 2 - West Africa & C 2 - West Africa & Red Sea 2 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 - South-west Asia & South Asia 2 - Coastal Eastern Africa 2 - Central Tropical Africa 1 - Central Tropical | Egretta ardesiaca (Black Heron) | | | |
| Egretta vinaceigula (Slaty Egret)Ib- Central Southern AfricaIbIcEgretta garzetta garzetta (Little Egret)(1)- Sub-Saharan Africa(1)- Western Europe, NW Africa1- Central & E Europe, Black Sea, E Mediterranean1- Western Asia/SW Asia, NE & Eastern Africa(1)- Western Asia/SW Asia, NE & Eastern Africa(1)- Western Asia/SW Asia, NE & Eastern Africa(1)- West Africa2- West Africa2- West Africa & Red Sea2- North-east Africa & Red Sea2- South-west Asia & South Asia2- Coastal Eastern Africa2- Coastal Eastern Africa2- Coastal Eastern Africa2- Coastal Eastern Africa2- Central Tropical Africa1- Central Tropical Africa1b- Central Tropical Africa | | | 1 | |
| - Central Southern Africa 1b 1c Egretta garzetta garzetta (Little Egret) (1) - Sub-Saharan Africa (1) - Western Europe, NW Africa 1 - Central & E Europe, Black Sea, E Mediterranean 1 - Western Asia/SW Asia, NE & Eastern Africa (1) - Western Asia/SW Asia, NE & Eastern Africa (1) - Western Asia/SW Asia, NE & Eastern Africa (1) - West Africa 2 - West Africa 2 - West Africa & Red Sea 2 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 - Coastal Eastern Africa 2 - Central Tropical Africa 1b 1c - Central Tropical Africa 1b 1c - Central Tropical Africa 1b 1c - Pelecanus crispus (Dalmatian Pelican) 1a 1b 1c | | | | |
| - Sub-Saharan Africa(1)- Western Europe, NW Africa1- Central & E Europe, Black Sea, E Mediterranean1- Central & E Europe, Black Sea, E Mediterranean1- Western Asia/SW Asia, NE & Eastern Africa(1)Egretta gularis gularis (Western Reef-egret)(1)- West Africa2- West Africa2Egretta gularis schistacea (Western Reef-egret)(1)- North-east Africa & Red Sea2- South-west Asia & South Asia2Egretta gularis dimorpha (Western Reef-egret)(1)- Coastal Eastern Africa2- Coastal Eastern Africa2- Coastal Eastern Africa1Balaeniceps rex (Shoebill)(1)- Central Tropical Africa1b 1c- Pelecanus crispus (Dalmatian Pelican)1a 1b 1c- Black Sea & Mediterranean (win)1a 1b 1c | | 1b 1c | | |
| - Sub-Saharan Africa(1)- Western Europe, NW Africa1- Central & E Europe, Black Sea, E Mediterranean1- Central & E Europe, Black Sea, E Mediterranean1- Western Asia/SW Asia, NE & Eastern Africa(1)Egretta gularis gularis (Western Reef-egret)(1)- West Africa2- West Africa2Egretta gularis schistacea (Western Reef-egret)(1)- North-east Africa & Red Sea2- South-west Asia & South Asia2Egretta gularis dimorpha (Western Reef-egret)(1)- Coastal Eastern Africa2- Coastal Eastern Africa2- Coastal Eastern Africa1Balaeniceps rex (Shoebill)(1)- Central Tropical Africa1b 1c- Pelecanus crispus (Dalmatian Pelican)1a 1b 1c- Black Sea & Mediterranean (win)1a 1b 1c | <i>Egretta garzetta garzetta (</i> Little Egret) | | | |
| - Western Europe, NW Africa 1 - Central & E Europe, Black Sea, E Mediterranean 1 - Western Asia/SW Asia, NE & Eastern Africa (1) Egretta gularis gularis (Western Reef-egret) (1) - West Africa 2 - West Africa & Red Sea 2 - North-east Africa & Red Sea 2 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 - Coastal Eastern Africa 2 - Coastal Eastern Africa 2 - Constal Eastern Africa 2 - Coastal Eastern Africa 1 - Central Tropical Africa 1 - Central Tropical Africa 1 - Pelecanus crispus (Dalmatian Pelican) 1 - Black Sea & Mediterranean (win) 1a 1b 1c | | | | (1) |
| - Central & E Europe, Black Sea, E Mediterranean 1 - Western Asia/SW Asia, NE & Eastern Africa (1) Egretta gularis gularis (Western Reef-egret) 2 - West Africa 2 Egretta gularis schistacea (Western Reef-egret) 2 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 Egretta gularis dimorpha (Western Reef-egret) 2 - Coastal Eastern Africa 2 Family BALAENICIPITIDAE (shoebill) 2 Balaeniceps rex (Shoebill) 2 - Central Tropical Africa 1b 1c Family PELECANIDAE (pelicans) 2 Pelecanus crispus (Dalmatian Pelican) 1a 1b 1c | | | | 1 |
| - Western Asia/SW Asia, NE & Eastern Africa (1) Egretta gularis gularis (Western Reef-egret) 2 - West Africa 2 Egretta gularis schistacea (Western Reef-egret) 2 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 Egretta gularis dimorpha (Western Reef-egret) 2 - Coastal Eastern Africa 2 Family BALAENICIPITIDAE (shoebill) 2 Balaeniceps rex (Shoebill) 1b 1c - Central Tropical Africa 1b 1c Family PELECANIDAE (pelicans) 1a 1b 1c Pelecanus crispus (Dalmatian Pelican) 1a 1b 1c | | | 1 | |
| Egretta gularis gularis (Western Reef-egret)2- West Africa2Egretta gularis schistacea (Western Reef-egret)- North-east Africa & Red Sea- South-west Asia & South Asia2- South-west Asia & South Asia2- Coastal Eastern Africa2- Coastal Eastern Africa2- Coastal Eastern Africa2- Coastal Family BALAENICIPITIDAE (shoebill)Balaeniceps rex (Shoebill)- Central Tropical Africa- Central Tropical Africa- Central Tropical Africa- Central Tropical Africa- Central PELECANIDAE (pelicans)- Pelecanus crispus (Dalmatian Pelican)- Black Sea & Mediterranean (win)- Black Sea & Mediterranean (win) | | | (1) | |
| - West Africa 2 Egretta gularis schistacea (Western Reef-egret) 2 - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 Egretta gularis dimorpha (Western Reef-egret) 2 - Coastal Eastern Africa 2 Family BALAENICIPITIDAE (shoebill) 2 Balaeniceps rex (Shoebill) 2 - Central Tropical Africa 1b 1c Family PELECANIDAE (pelicans) 2 Pelecanus crispus (Dalmatian Pelican) 1a 1b 1c | | | | |
| - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 Egretta gularis dimorpha (Western Reef-egret) 2 - Coastal Eastern Africa 2 Family BALAENICIPITIDAE (shoebill) 2 Balaeniceps rex (Shoebill) 2 - Central Tropical Africa 1b 1c Family PELECANIDAE (pelicans) 2 Pelecanus crispus (Dalmatian Pelican) 1a 1b 1c | | 2 | | |
| - North-east Africa & Red Sea 2 - South-west Asia & South Asia 2 Egretta gularis dimorpha (Western Reef-egret) 2 - Coastal Eastern Africa 2 Family BALAENICIPITIDAE (shoebill) 2 Balaeniceps rex (Shoebill) 2 - Central Tropical Africa 1b 1c Family PELECANIDAE (pelicans) 2 Pelecanus crispus (Dalmatian Pelican) 1a 1b 1c | | | | |
| - South-west Asia & South Asia2Egretta gularis dimorpha (Western Reef-egret)- Coastal Eastern Africa2Family BALAENICIPITIDAE (shoebill)Balaeniceps rex (Shoebill)- Central Tropical AfricaIb 1cFamily PELECANIDAE (pelicans)Pelecanus crispus (Dalmatian Pelican)- Black Sea & Mediterranean (win)1a 1b 1c | | 2 | | |
| - Coastal Eastern Africa 2 Family BALAENICIPITIDAE (shoebill) Balaeniceps rex (Shoebill) - Central Tropical Africa 1b 1c Family PELECANIDAE (pelicans) Pelecanus crispus (Dalmatian Pelican) - Black Sea & Mediterranean (win) 1a 1b 1c | | 2 | | |
| - Coastal Eastern Africa 2 Family BALAENICIPITIDAE (shoebill) Balaeniceps rex (Shoebill) - Central Tropical Africa 1b 1c Family PELECANIDAE (pelicans) Pelecanus crispus (Dalmatian Pelican) - Black Sea & Mediterranean (win) 1a 1b 1c | | | | |
| Family BALAENICIPITIDAE (shoebill)Image: Constraint of the systemBalaeniceps rex (Shoebill)Image: Constraint of the system- Central Tropical Africa1b 1cImage: Constraint of the systemImage: Constraint of the systemFamily PELECANIDAE (pelicans)Image: Constraint of the systemPelecanus crispus (Dalmatian Pelican)Image: Constraint of the system- Black Sea & Mediterranean (win)Image: Constraint of the system | | 2 | | |
| Balaeniceps rex (Shoebill) Image: Shoebill of the shoebill of the shoebil of the | | | | |
| Balaeniceps rex (Shoebill) Image: Shoebill of the shoebill of the shoebil of the | Family BALAENICIPITIDAE (shoebill) | | | |
| - Central Tropical Africa 1b 1c Family PELECANIDAE (pelicans) | | | | |
| Family PELECANIDAE (pelicans) | | 1b 1c | | |
| Pelecanus crispus (Dalmatian Pelican)1a 1b 1c- Black Sea & Mediterranean (win)1a 1b 1c | · · · · · · · · · · · · · · · · · · · | | | |
| Pelecanus crispus (Dalmatian Pelican)1a 1b 1c- Black Sea & Mediterranean (win)1a 1b 1c | Family PELECANIDAE (pelicans) | | | |
| - Black Sea & Mediterranean (win) 1a 1b 1c | | | | |
| | | 1a 1b 1c | | |
| | | | | |

| Populations | A | В | С |
|--|-------|----|-----|
| Pelecanus rufescens (Pink-backed Pelican) | | | |
| - Tropical Africa & SW Arabia | | 1 | |
| Pelecanus onocrotalus (Great White Pelican) | | | |
| - Southern Africa | | 1 | |
| - West Africa | | 1 | |
| - Eastern Africa | | 2c | |
| - Europe & Western Asia (bre) | 1a 3c | 20 | |
| | 14 50 | | |
| Family FREGATIDAE (frigatebirds) | | | |
| Fregata ariel iredalei (Lesser Frigatebird) | | - | |
| - W Indian Ocean | 2 | | |
| Fregata minor aldabrensis (Great Frigatebird) | - | | |
| - W Indian Ocean | 2 | | |
| | 2 | | |
| Family SULIDAE (gannets, boobies) | | | |
| Morus bassanus (Northern Gannet) | | | |
| - North Atlantic | | | 1 |
| Morus capensis (Cape Gannet) | | | |
| - Southern Africa | 1b | | |
| Sula dactylatra melanops (Masked Booby) | | | |
| - W Indian Ocean | 3c | | |
| | | | |
| Family PHALACROCORACIDAE (cormorants) | | | |
| Microcarbo coronatus (Crowned Cormorant) | | | |
| - Coastal South-west Africa | 1c | | |
| Microcarbo pygmaeus (Pygmy Cormorant) | | | |
| - Black Sea & Mediterranean | | 1 | |
| - South-west Asia | | 1 | |
| Phalacrocorax carbo carbo (Great Cormorant, Common Great | | | |
| Cormorant) | | | |
| - North-west Europe | | | 1 |
| Phalacrocorax carbo sinensis (Great Cormorant) | | | |
| - Northern & Central Europe | | | 1 |
| - Black Sea & Mediterranean | | | 1 |
| - West & South-west Asia | | | (1) |
| Phalacrocorax carbo lucidus (Great Cormorant, White-breasted | | | |
| Cormorant) | | | |
| - Coastal West Africa | | 1 | |
| - Central & Eastern Africa | | | 1 |
| - Coastal Southern Africa | 2 | | |
| Phalacrocorax capensis (Cape Cormorant) | | | |
| - Coastal Southern Africa | 1b | | |
| Phalacrocorax nigrogularis (Socotra Cormorant) | | | |
| - Arabian Coast | 1b | | |
| - Gulf of Aden, Socotra, Arabian Sea | 1b | | |
| Phalacrocorax neglectus (Bank Cormorant) | | | |
| - Coastal South-west Africa | 1b 2 | ļ | ļ |
| | | | ļ |
| Family BURHINIDAE (thick-knees) | | | |
| Burhinus senegalensis (Senegal Thick-knee) | | | |
| - West Africa | | 1 | |

| Populations | Α | В | С |
|---|----|-----|-------|
| - North-east & Eastern Africa | | 1 | |
| | | | |
| Family PLUVIANIDAE (Egyptian plover) | | | |
| Pluvianus aegyptius (Egyptian Plover) | | | |
| - West Africa | | (1) | |
| - Eastern Africa | 1c | | |
| - Lower Congo Basin | 1c | | |
| | | | |
| Family HAEMATOPODIDAE (oystercatchers) | | | |
| Haematopus moquini (African Oystercatcher) | | | |
| - Coastal Southern Africa | 1c | | |
| Haematopus ostralegus ostralegus (Eurasian Oystercatcher) | 10 | | |
| - Europe/South & West Europe & NW Africa | | 2c | |
| Haematopus ostralegus longipes (Eurasian Oystercatcher) | | 20 | |
| - SE Eur & W Asia/SW Asia & NE Africa | | 2c | |
| | | 20 | |
| Family RECURVIROSTRIDAE (avocets, stilts) | | | |
| Recurvirostra avosetta (Pied Avocet) | | | |
| - Southern Africa | 2 | | |
| - Eastern Africa | 2 | (1) | |
| | | (1) | |
| - Western Europe & North-west Africa (bre) | | 1 | |
| - South-east Europe, Black Sea & Turkey (bre) | 2 | 1 | |
| - West & South-west Asia/Eastern Africa | 2 | | |
| Himantopus himantopus himantopus (Black-winged Stilt) | _ | | (1) |
| - Sub-Saharan Africa (excluding south) | | | (1) |
| - Southern Africa | 2 | | |
| - SW Europe & North-west Africa/West Africa | | | 1 |
| - Central Europe & E Mediterranean/N-Central Africa | | 1 | |
| - W, C & SW Asia/SW Asia & NE Africa | | (1) | |
| | | | |
| Family CHARADRIIDAE (plovers) | | | |
| Pluvialis squatarola (Grey Plover) | | | |
| - W Siberia & Canada/W Europe & W Africa | | | 1 |
| - C & E Siberia/SW Asia, Eastern & Southern Africa | | 1 | |
| Pluvialis apricaria apricaria (Eurasian Golden Plover) | | | |
| - Britain, Ireland, Denmark, Germany & Baltic (bre) | | 2c | |
| Pluvialis apricaria altifrons (Eurasian Golden Plover) | | | |
| - Iceland & Faroes/East Atlantic coast | | | 1 |
| - Northern Europe/Western Europe & NW Africa | | | 1 |
| - Northern Siberia/Caspian & Asia Minor | | (1) | |
| Pluvialis fulva (Pacific Golden Plover) | | | |
| - North-central Siberia/South & SW Asia, NE Africa | | (1) | |
| Eudromias morinellus (Eurasian Dotterel) | | | |
| - Europe/North-west Africa | 3c | | |
| - Asia/Middle East | | (1) | |
| Charadrius hiaticula hiaticula (Common Ringed Plover) | | | |
| - Northern Europe/Europe & North Africa | | 1 | |
| Charadrius hiaticula psammodromus (Common Ringed Plover) | | | |
| - Canada, Greenland & Iceland/W & S Africa | | | (1) |
| Charadrius hiaticula tundrae (Common Ringed Plover) | | | , , , |
| - NE Europe & Siberia/SW Asia, E & S Africa | | | (1) |
| ······································ | | | |

| Populations | Α | В | С |
|---|------|-----|-----|
| Charadrius dubius curonicus (Little Ringed Plover) | | | |
| - Europe & North-west Africa/West Africa | | | 1 |
| - West & South-west Asia/Eastern Africa | | | (1) |
| Charadrius pecuarius (Kittlitz's Plover) | | | |
| - Southern & Eastern Africa | | | (1) |
| - West Africa | | (1) | (-) |
| Charadrius tricollaris (African Three-banded Plover) | | (-) | |
| - Southern & Eastern Africa | | | 1 |
| Charadrius forbesi (Forbes's Plover) | | | - |
| - Western & Central Africa | 2 | | |
| Charadrius marginatus hesperius (White-fronted Plover) | | | |
| - West Africa | 2 | | |
| Charadrius marginatus mechowi (White-fronted Plover) | 2 | | |
| - Inland East & Central Africa | 2 | | |
| Charadrius alexandrinus alexandrinus (Kentish Plover) | 2 | | |
| - West Europe & West Mediterranean/West Africa | | 1 | |
| A | 3c | 1 | |
| - Black Sea & East Mediterranean/Eastern Sahel | 30 | (1) | |
| - SW & Central Asia/SW Asia & NE Africa | | (1) | |
| Charadrius pallidus pallidus (Chestnut-banded Plover) | 2 | | |
| - Southern Africa | 2 | | |
| Charadrius pallidus venustus (Chestnut-banded Plover) | | | |
| - Eastern Africa | 1c | | |
| Charadrius mongolus pamirensis (Lesser Sandplover) | | | |
| - West-central Asia/SW Asia & Eastern Africa | | | 1 |
| Charadrius leschenaultii leschenaultii (Greater Sandplover) | | | |
| - Central Asia/Eastern & Southern Africa | | (1) | |
| Charadrius leschenaultii columbinus (Greater Sandplover) | | | |
| - Turkey & SW Asia/E. Mediterranean & Red Sea | 1c | | |
| Charadrius leschenaultii scythicus (Greater Sandplover) | | | |
| - Caspian & SW Asia/Arabia & NE Africa | | (1) | |
| Charadrius asiaticus (Caspian Plover) | | | |
| - SE Europe & West Asia/E & Central Southern Africa | 3c | | |
| Vanellus vanellus (Northern Lapwing) | | | |
| - Europe, W Asia/Europe, N Africa & SW Asia | | | 1 |
| Vanellus spinosus (Spur-winged Lapwing) | | | |
| - Black Sea & Mediterranean (bre) | | 1 | |
| Vanellus albiceps (White-headed Lapwing) | | | |
| - West & Central Africa | | (1) | |
| Vanellus lugubris (Senegal Lapwing) | | | |
| - Southern West Africa | 2 | | |
| - Central & Eastern Africa | | 1 | |
| Vanellus melanopterus minor (Black-winged Lapwing) | | | |
| - Southern Africa | 1c | | |
| Vanellus coronatus coronatus (Crowned Lapwing) | - | | |
| - Eastern & Southern Africa | | | 1 |
| - Central Africa | (1c) | | |
| - South-west Africa | (10) | (1) | |
| Vanellus senegallus senegallus (Wattled Lapwing) | | (1) | |
| - West Africa | | (1) | |
| Vanellus senegallus lateralis (Wattled Lapwing) | | (1) | |
| - Eastern & South-east Africa | | 1 | |
| | | 1 | |

| Populations | Α | В | С |
|---|----------|-------|-----|
| Vanellus superciliosus (Brown-chested Lapwing) | | | |
| - West & Central Africa | (1c) | | |
| Vanellus gregarius (Sociable Lapwing) | | | |
| - SE Europe & Western Asia/North-east Africa | 1a 1b 2 | | |
| - Central Asian Republics/NW India | 1a 1b 1c | | |
| Vanellus leucurus (White-tailed Lapwing) | | | |
| - SW Asia/SW Asia & North-east Africa | 2 | | |
| - Central Asian Republics/South Asia | | (1) | |
| | | | |
| Family SCOLOPACIDAE (sandpipers, snipes, phalaropes) | | | |
| Numenius phaeopus phaeopus (Whimbrel) | | | |
| - Northern Europe/West Africa | | | (1) |
| - West Siberia/Southern & Eastern Africa | | | (1) |
| Numenius phaeopus islandicus (Whimbrel) | | | |
| - Iceland, Faroes & Scotland/West Africa | | | 1 |
| Numenius phaeopus alboaxillaris (Whimbrel) | | | _ |
| - South-west Asia/Eastern Africa | 1c | | |
| Numenius tenuirostris (Slender-billed Curlew) | 10 | | |
| - Central Siberia/Mediterranean & SW Asia | 1a 1b 1c | | |
| Numenius arquata arquata (Eurasian Curlew) | 101010 | | |
| - Europe/Europe, North & West Africa | 4 | | |
| Numenius arquata suschkini (Eurasian Curlew) | | | |
| - South-east Europe & South-west Asia (bre) | 1c | | |
| Numenius arquata orientalis (Eurasian Curlew) | 10 | | |
| - Western Siberia/SW Asia, E & S Africa | 3c | | |
| Limosa lapponica lapponica (Bar-tailed Godwit) | 50 | | |
| - Northern Europe/Western Europe | | 2a | |
| Limosa lapponica taymyrensis (Bar-tailed Godwit) | | 2a | |
| - Western Siberia/West & South-west Africa | | 2a 2c | |
| - Central Siberia/South & SW Asia & Eastern Africa | | 2a 20 | (1) |
| | | | (1) |
| Limosa limosa limosa (Black-tailed Godwit) | 1 | | |
| - Western Europe/NW & West Africa | 4 | | |
| - Eastern Europe/Central & Eastern Africa | 3c | | |
| - West-central Asia/SW Asia & Eastern Africa | 4 | | |
| Limosa limosa islandica (Black-tailed Godwit) | 4 | | |
| - Iceland/Western Europe | 4 | | |
| Arenaria interpres interpres (Ruddy Turnstone) | | | 1 |
| - NE Canada & Greenland/W Europe & NW Africa | | 1 | 1 |
| - Northern Europe/West Africa | | 1 | (1) |
| - West & Central Siberia/SW Asia, E & S Africa | | | (1) |
| Calidris tenuirostris (Great Knot) | 1 11 1 | | |
| - Eastern Siberia/SW Asia & W Southern Asia | 1a 1b 1c | | |
| Calidris canutus canutus (Red Knot) | | | |
| - Northern Siberia/West & Southern Africa | | 2a 2c | |
| Calidris canutus islandica (Red Knot) | | | |
| - NE Canada & Greenland/Western Europe | | 2a | |
| Calidris pugnax (Ruff) | | | |
| - Northern Europe & Western Siberia/West Africa | | 2c | |
| - Northern Siberia/SW Asia, E & S Africa | | | 1 |
| Calidris falcinellus falcinellus (Broad-billed Sandpiper) | | | |
| - Northern Europe/SW Asia & Africa | | 2c | |

| Populations | A | В | С |
|--|----------|------|-----|
| Calidris ferruginea (Curlew Sandpiper) | | | |
| - Western Siberia/West Africa | | 2c | |
| - Central Siberia/SW Asia, E & S Africa | | 2c | |
| Calidris temminckii (Temminck's Stint) | | | |
| - Fennoscandia/North & West Africa | 3c | | |
| - NE Europe & W Siberia/SW Asia & Eastern Africa | | | (1) |
| Calidris alba alba (Sanderling) | | | (1) |
| - East Atlantic Europe, West & Southern Africa (win) | | | 1 |
| - South-west Asia, Eastern & Southern Africa (win) | | | 1 |
| Calidris alpina alpina (Dunlin) | | | 1 |
| - NE Europe & NW Siberia/W Europe & NW Africa | | | 1 |
| Calidris alpina arctica (Dunlin) | | | 1 |
| - NE Greenland/West Africa | 3a | | |
| Calidris alpina schinzii (Dunlin) | 54 | | |
| - Iceland & Greenland/NW and West Africa | | | 1 |
| - Britain & Ireland/SW Europe & NW Africa | | 1 | 1 |
| - Baltic/SW Europe & NW Africa | 1c | 1 | |
| Calidris alpina centralis (Dunlin) | 10 | | |
| - Central Siberia/SW Asia & NE Africa | | | (1) |
| Calidris maritima (Purple Sandpiper) | | | (1) |
| - N Europe & W Siberia (breeding) | | 1 | |
| - NE Canada & N Greenland (breeding) | 2 | 1 | |
| <i>Calidris minuta</i> (Little Stint) | <u>∠</u> | | |
| - N Europe/S Europe, North & West Africa | | (2c) | |
| - Western Siberia/SW Asia, E & S Africa | | (20) | (1) |
| Scolopax rusticola (Eurasian Woodcock) | | | (1) |
| - Europe/South & West Europe & North Africa | | | 1 |
| - Western Siberia/South-west Asia (Caspian) | | - | (1) |
| Gallinago stenura (Pintail Snipe) | | | (1) |
| - Northern Siberia/South Asia & Eastern Africa | | | (1) |
| Gallinago media (Great Snipe) | | | (1) |
| | 2 | | |
| - Scandinavia/probably West Africa | 4 | | |
| - Western Siberia & NE Europe/South-east Africa | 4 | | |
| Gallinago gallinago gallinago (Common Snipe) | | | 1 |
| - Europe/South & West Europe & NW Africa - Western Siberia/South-west Asia & Africa | | | 1 |
| | | | 1 |
| Gallinago gallinago faeroeensis (Common Snipe) | | | 1 |
| - Iceland, Faroes & Northern Scotland/Ireland | | | 1 |
| Lymnocryptes minimus (Jack Snipe) | | 21- | 1 |
| - Northern Europe/S & W Europe & West Africa | | 2b | 1 |
| - Western Siberia/SW Asia & NE Africa | | | 1 |
| Phalaropus lobatus (Red-necked Phalarope) | | | 1 |
| - Western Eurasia/Arabian Sea | | | 1 |
| Phalaropus fulicarius (Red Phalarope) | | 2 | |
| - Canada & Greenland/Atlantic coast of Africa | | 2c | |
| Xenus cinereus (Terek Sandpiper) | | | 1 |
| - NE Europe & W Siberia/SW Asia, E & S Africa | | | 1 |
| Actitis hypoleucos (Common Sandpiper) | | | |
| - West & Central Europe/West Africa | | 2c | (1) |
| - E Europe & W Siberia/Central, E & S Africa | | | (1) |
| Tringa ochropus (Green Sandpiper) | | | |

| Populations | A | В | С |
|--|-------|-----|-----|
| - Northern Europe/S & W Europe, West Africa | | | 1 |
| - Western Siberia/SW Asia, NE & Eastern Africa | | | (1) |
| Tringa erythropus (Spotted Redshank) | | | |
| - N Europe/Southern Europe, North & West Africa | | (1) | |
| - Western Siberia/SW Asia, NE & Eastern Africa | | (1) | |
| Tringa nebularia (Common Greenshank) | | | |
| - Northern Europe/SW Europe, NW & West Africa | | | 1 |
| - Western Siberia/SW Asia, E & S Africa | | | (1) |
| Tringa totanus totanus (Common Redshank) | | | |
| - Northern Europe (breeding) | | | 1 |
| - Central & East Europe (breeding) | | 2c | |
| Tringa totanus totanus (Common Redshank) | | | |
| - Britain & Ireland/Britain, Ireland, France | 3c | | |
| Tringa totanus robusta (Common Redshank) | | | |
| - Iceland & Faroes/Western Europe | | | 1 |
| Tringa totanus ussuriensis (Common Redshank) | | | |
| - Western Asia/SW Asia, NE & Eastern Africa | | | (1) |
| Tringa glareola (Wood Sandpiper) | | | |
| - North-west Europe/West Africa | | | 1 |
| - NE Europe & W Siberia/Eastern & Southern Africa | | | (1) |
| Tringa stagnatilis (Marsh Sandpiper) | | | |
| - Eastern Europe/West & Central Africa | | (1) | |
| - Western Asia/SW Asia, Eastern & Southern Africa | 3c | | |
| | | | |
| Family DROMADIDAE (crab-plover) | _ | | |
| Dromas ardeola (Crab-plover) | | 1 | |
| - North-west Indian Ocean, Red Sea & Gulf | | 1 | |
| Family GLAREOLIDAE (coursers, pratincoles) | | | |
| Glareola pratincola pratincola (Collared Pratincole) | | | |
| - Western Europe & NW Africa/West Africa | | 1 | |
| - Black Sea & E Mediterranean/Eastern Sahel zone | 2 | | |
| - SW Asia/SW Asia & NE Africa | | (1) | |
| Glareola nordmanni (Black-winged Pratincole) | | | |
| - SE Europe & Western Asia/Southern Africa | 4 | | |
| Glareola ocularis (Madagascar Pratincole) | | | |
| - Madagascar/East Africa | 1b 1c | | |
| <i>Glareola nuchalis nuchalis</i> (Rock Pratincole, White-collared Pratincole) | | | |
| - Eastern & Central Africa | | (1) | |
| Glareola nuchalis liberiae (Rock Pratincole, Rufous-collared | | | |
| Pratincole) | | | |
| - West Africa | | | 1 |
| Glareola cinerea (Grey Pratincole) | | | |
| - SE West Africa & Central Africa | (2) | | |
| Family LARIDAE (gulls, terns, skimmers) | | | |
| Anous stolidus plumbeigularis (Brown Noddy) | | | |
| - Red Sea & Gulf of Aden | | 1 | |
| Anous tenuirostris tenuirostris (Lesser Noddy) | | | |
| - Indian OceanIslands to E Africa | | | 1 |
| Rynchops flavirostris (African Skimmer) | | | |

| Populations | Α | В | С |
|--|-------|-----|-----|
| - Coastal West Africa & Central Africa | 1c | | |
| - Eastern & Southern Africa | 1c | | |
| Hydrocoloeus minutus (Little Gull) | | | |
| - Central & E Europe/SW Europe & W Mediterranean | | 1 | |
| - W Asia/E Mediterranean, Black Sea & Caspian | | (1) | |
| Xema sabini sabini (Sabine's Gull) | | | |
| - Canada & Greenland/SE Atlantic | | | (1) |
| Rissa tridactyla tridactyla (Black-legged Kittiwake) | | 2c | |
| Larus genei (Slender-billed Gull) | | | |
| - West Africa (bre) | | 1 | |
| - Black Sea & Mediterranean (bre) | | 2a | |
| - West, South-west & South Asia (bre) | | | 1 |
| Larus ridibundus (Black-headed Gull) | | | |
| - W Europe/W Europe, W Mediterranean, West Africa | | 2c | |
| - East Europe/Black Sea & East Mediterranean | | | 1 |
| - West Asia/SW Asia & NE Africa | | | (1) |
| Larus hartlaubii (Hartlaub's Gull) | | | |
| - Coastal South-west Africa | | 1 | |
| Larus cirrocephalus poiocephalus (Grey-headed Gull) | | | |
| - West Africa | | (1) | |
| - Central, Eastern and Southern Africa | | | (1) |
| Larus ichthyaetus (Pallas's Gull) | | | |
| - Black Sea & Caspian/South-west Asia | 3a | | |
| Larus melanocephalus (Mediterranean Gull) | | | |
| - W Europe, Mediterranean & NW Africa | | 2a | |
| Larus hemprichii (Sooty Gull) | | | |
| - Red Sea, Gulf, Arabia & Eastern Africa | | | 1 |
| Larus leucophthalmus (White-eyed Gull) | | | |
| - Red Sea & nearby coasts | 1a | 1 | |
| Larus audouinii (Audouin's Gull) | | | |
| - Mediterranean/N & W coasts of Africa | 1a 3a | | |
| Larus canus canus (Mew Gull) | | | |
| - NW & C Europe/Atlantic coast & Mediterranean | | | 1 |
| Larus canus heinei (Mew Gull) | | | |
| - NE Europe & Western Siberia/Black Sea & Caspian | | | 1 |
| Larus dominicanus vetula (Kelp Gull) | | | |
| - Coastal Southern Africa | | 1 | |
| - Coastal West Africa | 1c | | |
| Larus fuscus fuscus (Lesser Black-backed Gull, Baltic Gull) | | | |
| - NE Europe/Black Sea, SW Asia & Eastern Africa | 3c | | |
| Larus fuscus graellsii (Lesser Black-backed Gull) | | | |
| - Western Europe/Mediterranean & West Africa | | | 1 |
| Larus fuscus intermedius (Lesser Black-backed Gull) | | | |
| - S Scandinavia, Netherlands, Ebro Delta, Spain | | | 1 |
| Larus fuscus heuglini (Lesser Black-backed Gull, Heuglin's Gull) | | | |
| - NE Europe & W Siberia/SW Asia & NE Africa | | | (1) |
| Larus fuscus barabensis (Lesser Black-backed Gull, Steppe Gull) | | | |
| - South-west Siberia/South-west Asia | | | (1) |
| Larus argentatus argentatus (European Herring Gull) | | | |
| - North & North-west Europe | | | 1 |
| Larus argentatus argenteus (European Herring Gull) | | | |

| Populations | Α | В | С |
|--|-----------|-----|-----|
| - Iceland & Western Europe | | 2c | |
| Larus armenicus (Armenian Gull) | | | |
| - Armenia, Eastern Turkey & NW Iran | 3a | | |
| Larus michahellis (Yellow-legged Gull) | | | |
| - Mediterranean, Iberia & Morocco | | | 1 |
| Larus cachinnans (Caspian Gull) | | | |
| - Black Sea & Western Asia/SW Asia, NE Africa | | | 1 |
| Larus glaucoides glaucoides (Iceland Gull) | | | |
| - Greenland/Iceland & North-west Europe | | | 1 |
| Larus hyperboreus hyperboreus (Glaucous Gull) | | | |
| - Svalbard & N Russia (bre) | | | (1) |
| Larus hyperboreus leuceretes (Glaucous Gull) | | | (1) |
| - Canada, Greenland & Iceland (bre) | | | (1) |
| Larus marinus (Great Black-backed Gull) | | | (1) |
| - North & West Europe | | | 1 |
| Onychoprion fuscata nubilosa (Sooty Tern) | | | 1 |
| - Red Sea, Gulf of Aden, E to Pacific | | 2a | |
| Onychoprion anaethetus melanopterus (Bridled Tern) | | 24 | |
| - W Africa | 1c | | |
| Onychoprion anaethetus antarcticus (Bridled Tern) | 10 | | |
| - Red Sea, E Africa, Persian Gulf, Arabian Sea to W India | | | 1 |
| - W Indian Ocean | 2 | | 1 |
| Sternula albifrons albifrons (Little Tern) | 2 | | |
| - Europe north of Mediterranean (bre) | 2 | | |
| - West Mediterranean/ W Africa (bre) | <u> </u> | | |
| - Black Sea & East Mediterranean (bre) | 3b 3c | | |
| - Caspian (bre) | 2 | | |
| Sternula albifrons guineae (Little Tern) | <u></u> | | |
| - West Africa (bre) | 1c | | |
| Sternula saundersi (Saunders's Tern) | IC | | |
| | 2 | | |
| - W South Asia, Red Sea, Gulf & Eastern Africa | 2 | | |
| <i>Sternula balaenarum</i> (Damara Tern) - Namibia & South Africa/Atlantic coast to Ghana | 10 | | |
| | 1c | | |
| Gelochelidon nilotica nilotica (Common Gull-billed Tern) | | 1 | |
| - Western Europe/West Africa | 2 | 1 | |
| - Black Sea & East Mediterranean/Eastern Africa | <u>3c</u> | | |
| - West & Central Asia/South-west Asia | 2 | | |
| Hydroprogne caspia (Caspian Tern) | 1 | | |
| - Southern Africa (bre) | 1c | 1 | |
| - West Africa (bre) | 1 | 1 | |
| - Baltic (bre) | 1c | | |
| - Black Sea (bre) | 1c | | |
| - Caspian (bre) | 2 | | |
| Chlidonias hybrida hybrida (Whiskered Tern) | | | |
| - Western Europe & North-west Africa (bre) | | 1 | |
| - Black Sea & East Mediterranean (bre) | | | (1) |
| - Caspian (bre) | | (1) | |
| Chlidonias hybrida delalandii (Whiskered Tern) | | | |
| - Eastern Africa (Kenya & Tanzania) | 2 | | |
| - Southern Africa (Malawi & Zambia to South Africa) | (2) | | |

| Childonias leucopterus (White-winged Tern) (1) - Eastern Europe & Western Asia/Africa (1) Childonias inger niger (Black Tern) (1) - Europe & Western Asia/Atlantic coast of Africa 2c Sterna dougallit dougallit (Roseate Tern) (1) - Southem Africa 1c - Earope (bre) 1c Sterna dougallit arideensis (Roseate Tern) (1) - Madagascar, Serychelles & Mascarenes 2 Sterna dougallit bangsi (Roseate Tern) (1) - North Arabian Sea (Oman) 1c Sterna dougallit bangsi (Roseate Tern) (1) - North Arabian Sea (Oman) 1c Sterna dougalliti bangsi (Roseate Tern) (1) - North Arabian Sea (Oman) 1c - North Arabian Sea (Oman) 1 - Southern & Kastern Europe (bre) 11 - Western Europe (bre) 11 - Western Europa (Mite-checked Tern) (1) Sterna aviatasia (bre) 1 - Western Europe (bre) 1 - Sterna viata vitata vitata (Antarctic Tern) 1 - P. Edward, Marion, Crozet & Kerguelen/South Africa 1c Thalasseus bengalensis (Lea | Populations | Α | В | С |
|---|--|----|----|-----|
| - Eastern Europe & Western Asia/Africa (1) Childonias niger niger (Black Tern) (1) - Furope & Western Asia/Atlantic coast of Africa 2c Sterna dougallit dougallit (Roseate Tern) 1c - Southern Africa 1c - East Africa 2 - Europe (brc) 1c Sterna dougallit arideensis (Roseate Tern) - - Madagascar, Seychelles & Mascarenes 2 Sterna dougallit hangesi (Roseate Tern) - - North Arabian Sea (Oman) 1c Sterna hirundo hirundo (Common Tern) - - Nouthern & Western Furope (bre) 1 - Nouthern & Gesauth Europe (bre) 1 - Western Asia (bre) (1) Sterna primation (brite-checked Tern) - - W Stouth Asia, Red Sea, Gulf & Eastern Africa 1 Sterna vittata tristamensis (Antarctic Tern) - - P. Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata tristamensis (Caser Crested Tern) - - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis tenigratus (Leser Crested Tern) 1 - Stefacen Europe/West Africa 1 | Chlidonias leucopterus (White-winged Tern) | | | |
| Childonias niger niger (Black Tern) 2 - Furope & Western Asia/Atlantic coast of Africa 2c - Southern Africa 1c - Southern Africa 1c - Earope (bre) 1c - Sterna dougallii arideensis (Roseate Tern) 2 - Madagascar, Seychelles & Mascarenes 2 Sterna dougallii bangsi (Roseate Tern) 1c - North Arabian Sea (Oman) 1c Sterna dougallii bangsi (Roseate Tern) 1 - North Arabian Sea (Oman) 1c Sterna hirundo hirundo (Common Tern) 1 - Southern & Western Europe (bre) 1 - Northern & Eastern Europe (bre) 1 - Western Asia (bre) (1) Sterna paradisaea (Arctic Tern) 1 - Western Furasia (bre) 1 - Western Furasia (bre) 1 - Sterna vittata vittata vittata (Antarctic Tern) 1 - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c - Sterna vittata vittata vittata (Lesser Crested Tern) 1 - Gulf/South Africa 1 - Red Sea/Bastern Africa 1 - Thalasseus bengalensis emigratus (Lesser Crested Tern) 1 | | | | (1) |
| - Europe & Western Asia/Atlantic coast of Africa 2c Sterna dongallii (Roseate Tern) 1 - Southern Africa 1c - East Africa 2 - Europe (brc) 1c Sterna dongallii arideensis (Roseate Tern) 1c - Madagascar, Scychelles & Mascarenes 2 Sterna dongallii barideensis (Roseate Tern) 1c - North Ariabia Sea (Oman) 1c Sterna dongallii Arideensis (Roseate Tern) 1 - North Ariabia Sea (Oman) 1c Sterna hirundo hirundo (Common Tern) 1 - Norther & Eastern Europe (bre) 1 - Norther & Eastern Europe (bre) 1 - Western Asia, Red Sea, Gulf & Eastern Africa 1 Sterna vitata vistata (Antarctic Tern) 1 - Western Eurasia (brc) 1 Sterna vitata vistata (Antarctic Tern) 1 - P Edward, Marion, Crozet & Kerguelen/South Africa 1c Tristand a Cunha & Gough/South Africa 1c Thalasseus bengalensis (Lesser Crested Tern) 1 - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis sandvicensis sandvicensis sandvicensis andvicensis sandvicensis andvicensis andv | | | | |
| Sterna dougallii dougallii (Roseate Tern) 1c - Southern Africa 1c - Eart Africa 2 - Europe (bre) 1c Sterna dougallii arideensis (Roseate Tern) 1c - Madagascar, Seychelles & Mascarenes 2 Sterna dougallii bangsi (Roseate Tern) 1c - North Arabian Sea (Oman) 1c Sterna hirundo hirundo (Common Tern) 1 - Norther & Western Europe (bre) 1 - Norther & Kestern Europe (bre) 1 - Western Asia (bre) (1) Sterna paradisaea (Arctic Tern) (1) - Western Larasia (bre) 1 Sterna vititata vitata (Antarctic Tern) 1 - Western Larista (Antarctic Tern) 1 - Vestern Larista (Antarctic Tern) 1 - P. Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vitata vitata sets (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 - Red Sea/Eastern Africa 1 - S Mediterranean/NW & West Africa coasts 1c Tha | | | 2c | |
| - Southern Africa 1c - Eatrope (bre) 1c - Europe (bre) 1c - Madagascar, Scychelles & Mascarenes 2 - North Arabian Sea (Oman) 1c - Southern & Westem Europe (bre) 1 - Northern & Eastern Europe (bre) 1 - Northern & Eastern Europe (bre) 1 - Western Asia (bre) 1 Sterna paradisaea (Arctic Tern) 1 - Western Eurasia (bre) 1 Sterna vittata vittata (Athatretic Tern) 1 - P. Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata vittata vittata (Athatretic Tern) 1 - Fristan da Cunha & Gough/South Africa 1c - Thalasseus bengalensis (Lesser Crested Tern) 1 - S Mediterranean/NW & West Africa coasts 1c - Thalasseus sandvicensis (andwich Tern) 1 - S Mediterranean (bre) 2a - West & Africa (bre) 2a - West & Africa (bre) 2a - Thalasseus sandvicensi | | | | |
| - East Africa 2 - Europe (bre) 1c Sterna dougallii arideensis (Roseate Tern) 1 - Madagascar, Seychelles & Mascarenes 2 Sterna dougallii bangsi (Roseate Tern) 1 - North Arabian Sea (Oman) 1c Sterna hirundo hirundo (Common Tern) 1 - Southern & Western Europe (bre) 1 - Northern & Eastern Furope (bre) 1 - Western Asia (bre) (1) Sterna hirundo hirundo (Common Tern) 1 - Worthern A & Eastern Europe (bre) 1 - Western Asia (bre) 1 - Western Asia (bre) 1 - Western Eurasia (bre) 1 - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata vitata (Antarctic Tern) 1 - Fristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis (Lesser Crested Tern) 1 - S Mediterranean/W & West Africa coasts 1c Thalasseus bengalensis sandvicensis (Sandwich Tern) 1 - S Mediterranean/W & West Africa coasts 1c Thalasseus andvicensis sandvicensis (South-Nets) 2a - West & Central Asia/South-west | | 1c | | |
| - Europe (bre) 1c Sterna dougallii arideensis (Roseate Tern) 2 - Madagascar, Seychelles & Mascarenes 2 Sterna dougallii bangsi (Roseate Tern) 1c - North Arabian Sea (Oman) 1c Sterna dirundo hirundo (Common Tern) 1c - Southern & Western Europe (bre) 1 - Northern & Eastern Europe (bre) 1 - Western Asia (bre) (1) Sterna and and Kestern Europe (bre) 1 - Western Asia (bre) (1) Sterna valuata instances (Autrice Tern) 1 - Western Eurasia (bre) 1 Sterna vittata vittata (Antarctic Tern) 1 - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Thalasseus bengalensis (Lesser Crested Tern) 1 - Fuelsward, Marion, Crozet & Kerguelen/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Fuelsward, Marion, Crozet & Kerguelen/South Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) 2 </td <td></td> <td></td> <td></td> <td></td> | | | | |
| Sterna dougallii arideensis (Roseate Tern) 2 - Madagascar, Scychelles & Mascarenes 2 Sterna dougallii bangsi (Roseate Tern) 1 - North Arabian Sea (Oman) 1c Sterna hirundo hirundo (Common Tern) 1 - Southern & Bastern Europe (bre) 1 - Norther & Eastern Europe (bre) 1 - Western Asia (bre) (1) Sterna aparadisaea (Arctic Tern) 1 - Western Eurose (bre) 1 - Western Eurose (bre) 1 - Western Eurosia (Antarctic Tern) 1 - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata tristanensis (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis semigranus (Lesser Crested Tern) 1 - Steritierranean/NW & West Africa coasts 1c Thalasseus andvicensis sundvicensis (Sandwich Tern) 1 - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 <td></td> <td></td> <td></td> <td></td> | | | | |
| - Madagascar, Seychelles & Mascarenes 2 Sterna dougallit bangsi (Roseate Tern) 1 - North Arabian Sea (Oman) 1c Sterna hirundo hirundo (Common Tern) 1 - Southern & Western Europe (bre) 1 - Northern & Eastern Europe (bre) 1 - Northern & Eastern Europe (bre) 1 - Western Asia (bre) (1) Sterna repressa (White-cheeked Tern) 1 - W South Asia, Red Sea, Gulf & Eastern Africa 1 Sterna paradisaea (Arctic Tern) 1 - Western Eurasia (bre) 1 Sterna vittata vittata (Antarctic Tern) 1 - P. Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata tristamensis (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 Thalasseus sandvicensis sandvicensis (Sandwich Tern) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus bengalensis (Royal Tern) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus bergii tergii (Greater Crested Ter | | | | |
| Sterna dougallii bangsi (Roseate Tern) 1c - North Arabian Sea (Oman) 1c Sterna hirundo hirundo (Common Tern) - - Southern & Western Europe (bre) 1 - Northern & Eastern Europe (bre) 1 - Wostern Asia (bre) (1) Sterna repressa (White-cheeked Tern) (1) - W South Asia, Red Sea, Gulf & Eastern Africa 1 Sterna paradisaea (Arctic Tern) - - Western Eurosia (bre) 1 Sterna vittata vittata (Antarctic Tern) - - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata tristanensis (Antarctic Tern) - - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) - - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis se migratus (Lesser Crested Tern) - - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis sandvicensis (Sandwich Tern) - - Western Europe/West Africa 1 - Black Sea & Mediterranean (bre) 2a - West Africa (ore) 2a | | 2 | | |
| - North Arabian Sea (Oman) 1c Sterna hirundo (Common Tern) 1 - Southern & Western Europe (bre) 1 - Northern & Eastern Europe (bre) 1 - Western Asia (bre) (1) Sterna repressa (White-cheeked Tern) (1) - W South Asia, Red Sea, Gulf & Eastern Africa 1 Sterna paradisaea (Arctic Tern) 1 - Western Eurasia (bre) 1 Sterna vittata vittata (Antarctic Tern) 1 - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata vittata (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus sendycensis sandyicensis (Sandwich Tern) 1 - S Mediterranean/NW & West Africa coasts 1c Thalasseus sendycensis sandyicensis (Sandwich Tern) 2a - Western Europe/West Africa 1 - Black Sea & Mediterranean (bre) 2a - West Africa (hre) 2a - West Africa (hre) 2a - West Africa (hre) </td <td></td> <td></td> <td></td> <td></td> | | | | |
| Sterna hirundo hirundo (Common Tern) 1 - Northern & Western Europe (bre) 1 - Northern & Eastern Europe (bre) 1 - Western Asia (bre) (1) Sterna repressa (White-cheeked Tern) (1) - W South Asia, Red Sea, Gulf & Eastern Africa 1 Sterna paradisea (Arctic Tern) - - Western Eurasia (bre) 1 Sterna vittata vittata (Antarctic Tern) - - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata tristanensis (Antarctic Tern) - - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) - - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) - - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis sandvicensis (Sandwich Tern) - - West & Central Asia/South-west & South Asia 1 - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus bergii bergii (Greater Crested Tern) - - Southern Afric | | 1c | | |
| - Southern & Western Europe (bre) 1 - Northern & Eastern Europe (bre) 1 - Western Asia (bre) (1) Sterna repressa (White-cheeked Tern) 1 - W South Asia, Red Sea, Gulf & Eastern Africa 1 Sterna paradisaea (Arctic Tern) 1 - Western Eurasia (bre) 1 Sterna vittata vittata (Attarctic Tern) 1 - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata tristanensis (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) 1 - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis (Sandwich Tern) 2a - West & Central Asia/South-west & South Asia 1 - Black Sea & Mediterranean (bre) 2a - West & Creater Asia/South-west & South Asia 1 Thalasseus bergii bergii (Greater Crested Tern) 2a - West & Africa (bre) 2a Thalasseus bergii chergia (Greater Crested | | 10 | | |
| - Northern & Eastern Europe (bre) 1 - Western Asia (bre) (1) Sterna repressa (White-checked Tern) 1 - W South Asia, Red Sea, Gulf & Eastern Africa 1 Sterna paradisaea (Arctic Tern) 1 - Western Eurasia (bre) 1 Sterna vittata vitata (Antarctic Tern) 1 - P. Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata vitata (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) 1 - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis sandvicensis (Sandwich Tern) 2a - West & Central Asia/South-west & South Asia 1 - Black Sea & Mediterranean (bre) 2a - West & Africa (bre) 2a - West & Central Asia/South-west & South Asia 1 - Thalasseus bergii bergii (Greater Crested Tern) 2a - West & Africa (bre) 2a - Thalasseus bergii velox (Greater Crested T | | | | 1 |
| - Western Asia (bre) (1) Sterna repressa (White-cheeked Tern) (1) - W South Asia, Red Sea, Gulf & Eastern Africa 1 Sterna paradisaea (Arctic Tern) 1 - Western Eurasia (bre) 1 Sterna vittata vittata (Antarctic Tern) 1 - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Tristan da Cunha & Gough/South Africa 1c Tristan da Cunha & Gough/South Africa 1 - Gulf/Southern Asia 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis bengalensis (Lesser Crested Tern) - - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis (Sandwich Tern) - - Western Europe/West Africa 1 - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus bergii bergii (Greater Crested Tern) - - Southern Africa (Angola – Mozambique) 2a Thalasseus bergii bergii (Greater Crested Tern) - - Southern Africa (Angola – Mozambique) 2 Thalasseus bergii velox (Greater Crested Tern) -< | | | | |
| Sterna repressa (White-cheeked Tern) 1 - W South Asia, Red Sea, Gulf & Eastern Africa 1 Sterna paradisaea (Arctic Tern) 1 - Western Eurasia (bre) 1 Sterna vittata vittata (Antarctic Tern) 1 - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata vittata (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) 1 - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis sandvicensis (Sandwich Tern) 1 - West & Central Asia/South-west & South Asia 1 - West & Central Asia/South-west & South Asia 1 Thalasseus bergii bergii (Greater Crested Tern) 2a - West Africa (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus bergii bergii (Greater Crested Tern) 2a - Southern Africa (Angola – Mozambique) 2 - Red Sea & North-east Africa 2 <t< td=""><td></td><td></td><td></td><td>-</td></t<> | | | | - |
| - W South Asia, Red Sea, Gulf & Eastern Africa 1 Sterna paradisaea (Arctic Tern) 1 - Western Eurasia (bre) 1 Sterna vittata vittata (Antarctic Tern) 1 - P. Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata tristanensis (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c Tristan da Cunha & Gough/South Africa 1c - Gulf/Southern Asia 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) 1 - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis (Sandwich Tern) 1 - Western Europe/West Africa 1 - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus maximus albidorsalis (Royal Tern) 2a - West Africa (bre) 2a - West Africa (bre) 2a - Thalasseus bergii bergii (Greater Crested Tern) 2 - West Africa (bre) 2 - West Africa (bre) 2 - Thalasseus bergii bergii | | | | (1) |
| Sterna paradisaea (Arctic Tern) 1 - Western Eurasia (bre) 1 Sterna vittata vittata (Antarctic Tern) 1 - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata tristamensis (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) 1 - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis sandvicensis (Sandwich Tern) 1 - West en Europe/West Africa 1 - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus bergii bergii (Greater Crested Tern) 2a - West Africa (hre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus bergii bergii (Greater Crested Tern) 2a - Southern Africa (Angola – Mozambique) 2 - Southern Africa (Angola – Mozambique) 2 - Red Sea & North-east Africa 2 - Thalasseus bergii | | | | 1 |
| - Western Eurasia (bre) 1 Sterna vittata vittata (Antarctic Tern) 1 - P. Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata tristanensis (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) 1 - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis sandvicensis (Sandwich Tern) 1 - Western Europe/West Africa 1 - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus maximus albidorsalis (Royal Tern) 2a - West Africa (bre) 2a - West Africa (bre) 2a - Thalasseus bergii velax (Greater Crested Tern) 2a - Southern Africa (Angola – Mozambique) 2 - Southern Africa (Angola – Mozambique) 2 - Thalasseus bergii velax (Greater Crested Tern) 2 - Red Sea & North-east Africa 2 - Thalasseus bergii velax (G | | | | 1 |
| Sterna vittata vittata (Antarctic Tern) Ic - P.Edward, Marion, Crozet & Kerguelen/South Africa Ic Sterna vittata tristanensis (Antarctic Tern) Ic - Tristan da Cunha & Gough/South Africa Ic Thalasseus bengalensis bengalensis (Lesser Crested Tern) I - Gulf/Southern Asia I - Red Sea/Eastern Africa I Thalasseus bengalensis emigratus (Lesser Crested Tern) I - S Mediterranean/NW & West Africa coasts Ic Thalasseus sandvicensis sandvicensis (Sandwich Tern) I - Western Europe/West Africa I - West & Central Asia/South-west & South Asia I Thalasseus maximus albidorsalis (Royal Tern) Za - West Africa (bre) Za - West Africa (bre) Za - West Africa (bre) Za - Thalasseus bergii bergii (Greater Crested Tern) Za - Southern Africa (Angola – Mozambique) 2 - Thalasseus bergii bergii (Greater Crested Tern) I - Southern Africa & Seychelles Ic - Thalasseus bergii uelax (Greater Crested Tern) I - Red Sea & North-east Africa 2 - Thalasseus bergii ue | | | | 1 |
| - P.Edward, Marion, Crozet & Kerguelen/South Africa 1c Sterna vittata tristanensis (Antarctic Tern) 1 - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) 1 - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis sandvicensis (Sandwich Tern) 2a - Western Europe/West Africa 1 - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus maximus albidorsalis (Royal Tern) 2a - West Africa (bre) 2a - West Africa (bre) 2a - West Africa (bre) 2a Thalasseus bergii bergii (Greater Crested Tern) 2a - Southern Africa (Angola – Mozambique) 2 - Red Sea & North-east Africa 2 Thalasseus bergii thalassinus (Greater Crested Tern) 1 - Red Sea & North-east Africa 2 Thalasseus bergii dengma (Greater Crested Tern) 1 - Red Sea & North-east Africa< | | | | 1 |
| Sterna vittata tristanensis (Antarctic Tern)Ic- Tristan da Cunha & Gough/South Africa1cThalasseus bengalensis bengalensis (Lesser Crested Tern)1- Gult/Southern Asia1- Red Sea/Eastern Africa1Thalasseus bengalensis emigratus (Lesser Crested Tern)1- S Mediterranean/NW & West Africa coasts1cThalasseus sandvicensis (Sandwich Tern)1- Western Europe/West Africa1- Black Sea & Mediterranean (bre)2a- West & Central Asia/South-west & South Asia1Thalasseus maximus albidorsalis (Royal Tern)2a- West Africa (bre)2a- Red Sea & North-east Africa2- Southern Africa (Angola – Mozambique)2- Southern Africa (Angola – Mozambique)2- Red Sea & North-east Africa2- Red Sea & North-east Africa1c- Red Sea & North-east Africa1c- Eastern Africa & Seychelles1c- Halasseus bergii enigma (Greater Crested Tern)1c- Rad Sea & North-east Africa1c- Madagascar & Mozambique/Southern Africa1c- Mad | | 10 | | |
| - Tristan da Cunha & Gough/South Africa 1c Thalasseus bengalensis bengalensis (Lesser Crested Tern) 1 - Gulf/Southern Asia 1 - Red Sea/Eastern Africa 1 Thalasseus bengalensis emigratus (Lesser Crested Tern) 1 - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis sandvicensis (Sandwich Tern) 1 - Western Europe/West Africa 1 - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus bergii bergii (Greater Crested Tern) 2a - West Africa (bre) 2a - West Africa (bre) 2a - West Africa (bre) 2a - West Africa (breigii (Greater Crested Tern) 2a - Southern Africa (Angola – Mozambique) 2 - Southern Africa (Angola – Mozambique) 2 - Red Sea & North-east Africa 2 Thalasseus bergii thalassinus (Greater Crested Tern) 1c - Red Sea & North-east Africa 1c - Thalasseus bergii thalassinus (Greater Crested Tern) 1c - Red Sea & North-east Africa 1c - Thalasseus bergii thalassinus (Greater Creste | | 10 | | |
| Thalasseus bengalensis bengalensis (Lesser Crested Tern)1- Gulf/Southern Asia1- Red Sea/Eastern Africa1Thalasseus bengalensis emigratus (Lesser Crested Tern)1- S Mediterranean/NW & West Africa coasts1cThalasseus sandvicensis sandvicensis (Sandwich Tern)1- Western Europe/West Africa1- Black Sea & Mediterranean (bre)2a- West & Central Asia/South-west & South Asia1Thalasseus bergii bergii (Greater Crested Tern)2a- West Africa (bre)2a- West Africa (bre)2a- West Africa (bre)2a- West Africa (bre)2a- Malasseus bergii bergii (Greater Crested Tern)2- Southern Africa (Angola – Mozambique)2- Red Sea & North-east Africa2- Thalasseus bergii thalassinus (Greater Crested Tern) Red Sea & North-east Africa1c- Radasseus bergii thalassinus (Greater Crested Tern) Red Sea & North-east Africa1c- Thalasseus bergii thalassinus (Greater Crested Tern) Red Sea & North-east Africa1c- Thalasseus bergii enigma (Greater Crested Tern) Nadagascar & Mozambique/Southern Africa1c- Madagascar & Mozambique/Southern Africa1c- Family STERCORARIIDAE (skuas) Stercorarius longicaudus longicaudus (Long-tailed Jaeger)1 | | 10 | | |
| - Gulf/Southern Asia1- Red Sea/Eastern Africa1Thalasseus bengalensis emigratus (Lesser Crested Tern)1- S Mediterranean/NW & West Africa coasts1cThalasseus sandvicensis sandvicensis (Sandwich Tern)1- Western Europe/West Africa1- Black Sea & Mediterranean (bre)2a- West & Central Asia/South-west & South Asia1Thalasseus maximus albidorsalis (Royal Tern)2a- West Africa (bre)2a- West Africa (bre)2a- West Africa (bre)2a- West Africa (bre)2a- Malasseus bergii bergii (Greater Crested Tern)2- Southern Africa (Angola – Mozambique)2- Red Sea & North-east Africa2- Red Sea & North-east Africa1- Red Sea & North-east Africa1- Red Sea & Seychelles1c- Eastern Africa & Seychelles1c- Madagascar & Mozambique/Southern Africa1c- Madagascar & Mozambique/Southern Africa <td< td=""><td></td><td>10</td><td></td><td></td></td<> | | 10 | | |
| - Red Sea/Eastern Africa1Thalasseus bengalensis emigratus (Lesser Crested Tern) S Mediterranean/NW & West Africa coasts1cThalasseus sandvicensis (Sandwich Tern) Western Europe/West Africa1- Black Sea & Mediterranean (bre)2a- West & Central Asia/South-west & South Asia1Thalasseus maximus albidorsalis (Royal Tern) West Africa (bre)2a- Red Sea & North-east Africa2Thalasseus bergii velox (Greater Crested Tern) Red Sea & North-east Africa2Thalasseus bergii thalassinus (Greater Crested Tern) Red Sea & North-east Africa1c- Madagascar & Mozambique/Southern Africa1c- Matagascar & Mozambique/Southern Africa1c- Matagascar & Mozam | | | | 1 |
| Thalasseus bengalensis emigratus (Lesser Crested Tern)1c- S Mediterranean/NW & West Africa coasts1cThalasseus sandvicensis sandvicensis (Sandwich Tern)1- Western Europe/West Africa1- Black Sea & Mediterranean (bre)2a- West & Central Asia/South-west & South Asia1Thalasseus maximus albidorsalis (Royal Tern)2a- West Africa (bre)2a- West Africa (bre)2a- West Africa (bre)2a- West Africa (bre)2a- Southern Africa (Angola – Mozambique)2- Red Sea & North-east Africa2- Thalasseus bergii thalassinus (Greater Crested Tern) Red Sea & North-east Africa1c- Eastern Africa & Seychelles1c- Madagascar & Mozambique/Southern Africa1c- Madagascar & Mozambique/Southern Africa1c | | | | |
| - S Mediterranean/NW & West Africa coasts 1c Thalasseus sandvicensis sandvicensis (Sandwich Tern) 1 - Western Europe/West Africa 1 - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus maximus albidorsalis (Royal Tern) 2a - West Africa (bre) 2a - Southern Africa (Angola – Mozambique) 2 - Southern Africa (Angola – Mozambique) 2 - Red Sea & North-east Africa 2 - Thalasseus bergii velox (Greater Crested Tern) - - Red Sea & North-east Africa 1c - Thalasseus bergii enigma (Greater Crested Tern) - - Eastern Africa & Seychelles 1c - Thalasseus bergii enigma (Greater Crested Tern) - - Madagascar & Mozambique/Southern Africa 1c - Family STERCORARIIDAE (skuas) - | | | | 1 |
| Thalasseus sandvicensis sandvicensis (Sandwich Tern)1- Western Europe/West Africa1- Black Sea & Mediterranean (bre)2a- West & Central Asia/South-west & South Asia1Thalasseus maximus albidorsalis (Royal Tern)2- West Africa (bre)2aThalasseus bergii bergii (Greater Crested Tern)2- Southern Africa (Angola – Mozambique)2Thalasseus bergii velox (Greater Crested Tern)2- Red Sea & North-east Africa2Thalasseus bergii thalassinus (Greater Crested Tern)1- Eastern Africa & Seychelles1cThalasseus bergii enigma (Greater Crested Tern)1c- Madagascar & Mozambique/Southern Africa1cFamily STERCORARIIDAE (skuas)1Stercorarius longicaudus longicaudus (Long-tailed Jaeger)1 | | 10 | | |
| - Western Europe/West Africa 1 - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus maximus albidorsalis (Royal Tern) 2a - West Africa (bre) 2a - West Africa (bre) 2a Thalasseus bergii bergii (Greater Crested Tern) 2a - Southern Africa (Angola – Mozambique) 2 Thalasseus bergii velox (Greater Crested Tern) 2 - Red Sea & North-east Africa 2 Thalasseus bergii thalassinus (Greater Crested Tern) 2 - Red Sea & North-east Africa 1 - Eastern Africa & Seychelles 1c Thalasseus bergii enigma (Greater Crested Tern) 1c - Halasseus bergii enigma (Greater Crested Tern) 1c - Madagascar & Mozambique/Southern Africa 1c - Madagascar & Mozambique/Southern Africa 1c - Family STERCORARIIDAE (skuas) 1 Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | | 10 | | |
| - Black Sea & Mediterranean (bre) 2a - West & Central Asia/South-west & South Asia 1 Thalasseus maximus albidorsalis (Royal Tern) 2a - West Africa (bre) 2a Thalasseus bergii bergii (Greater Crested Tern) 2a - Southern Africa (Angola – Mozambique) 2 Thalasseus bergii velox (Greater Crested Tern) 2 - Red Sea & North-east Africa 2 Thalasseus bergii thalassinus (Greater Crested Tern) - - Eastern Africa & Seychelles 1c Thalasseus bergii enigma (Greater Crested Tern) - - Eastern Africa & Seychelles 1c Thalasseus bergii enigma (Greater Crested Tern) - - Family STERCORARIIDAE (skuas) 1c Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | | | | 1 |
| - West & Central Asia/South-west & South Asia 1 Thalasseus maximus albidorsalis (Royal Tern) 2a - West Africa (bre) 2a Thalasseus bergii bergii (Greater Crested Tern) 2 - Southern Africa (Angola – Mozambique) 2 Thalasseus bergii velox (Greater Crested Tern) 2 - Red Sea & North-east Africa 2 Thalasseus bergii thalassinus (Greater Crested Tern) 2 - Red Sea & North-east Africa 2 Thalasseus bergii thalassinus (Greater Crested Tern) 2 - Eastern Africa & Seychelles 1c Thalasseus bergii enigma (Greater Crested Tern) 2 - Madagascar & Mozambique/Southern Africa 1c Family STERCORARIIDAE (skuas) 1 Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | | | 29 | 1 |
| Thalasseus maximus albidorsalis (Royal Tern)2a- West Africa (bre)2aThalasseus bergii bergii (Greater Crested Tern)2- Southern Africa (Angola – Mozambique)2Thalasseus bergii velox (Greater Crested Tern)2- Red Sea & North-east Africa2Thalasseus bergii thalassinus (Greater Crested Tern) Eastern Africa & Seychelles1cThalasseus bergii enigma (Greater Crested Tern) Madagascar & Mozambique/Southern Africa1cFamily STERCORARIIDAE (skuas)-Stercorarius longicaudus longicaudus (Long-tailed Jaeger)1 | | | 20 | 1 |
| - West Africa (bre) 2a Thalasseus bergii bergii (Greater Crested Tern) 2 - Southern Africa (Angola – Mozambique) 2 Thalasseus bergii velox (Greater Crested Tern) 2 - Red Sea & North-east Africa 2 Thalasseus bergii thalassinus (Greater Crested Tern) 2 - Eastern Africa & Seychelles 1c Thalasseus bergii enigma (Greater Crested Tern) 2 - Madagascar & Mozambique/Southern Africa 1c Family STERCORARIIDAE (skuas) 1 Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | | | | 1 |
| Thalasseus bergii bergii (Greater Crested Tern)2- Southern Africa (Angola – Mozambique)2Thalasseus bergii velox (Greater Crested Tern)2- Red Sea & North-east Africa2Thalasseus bergii thalassinus (Greater Crested Tern)2- Eastern Africa & Seychelles1cThalasseus bergii enigma (Greater Crested Tern)1c- Madagascar & Mozambique/Southern Africa1cFamily STERCORARIIDAE (skuas)1Stercorarius longicaudus longicaudus (Long-tailed Jaeger)1 | | | 29 | |
| - Southern Africa (Angola – Mozambique) 2 Thalasseus bergii velox (Greater Crested Tern) 2 - Red Sea & North-east Africa 2 Thalasseus bergii thalassinus (Greater Crested Tern) 2 - Eastern Africa & Seychelles 1c Thalasseus bergii enigma (Greater Crested Tern) 1c - Madagascar & Mozambique/Southern Africa 1c Family STERCORARIIDAE (skuas) 1 Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | | | 24 | |
| Thalasseus bergii velox (Greater Crested Tern) 2 - Red Sea & North-east Africa 2 Thalasseus bergii thalassinus (Greater Crested Tern) 1c - Eastern Africa & Seychelles 1c Thalasseus bergii enigma (Greater Crested Tern) 1c - Madagascar & Mozambique/Southern Africa 1c Family STERCORARIIDAE (skuas) 1 Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | | 2 | | |
| - Red Sea & North-east Africa 2 Thalasseus bergii thalassinus (Greater Crested Tern) - Eastern Africa & Seychelles 1c Thalasseus bergii enigma (Greater Crested Tern) - Madagascar & Mozambique/Southern Africa 1c Family STERCORARIIDAE (skuas) Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | | 2 | | |
| Thalasseus bergii thalassinus (Greater Crested Tern)1c- Eastern Africa & Seychelles1cThalasseus bergii enigma (Greater Crested Tern)1c- Madagascar & Mozambique/Southern Africa1cFamily STERCORARIIDAE (skuas)1Stercorarius longicaudus longicaudus (Long-tailed Jaeger)1 | | 2 | | |
| - Eastern Africa & Seychelles 1c Thalasseus bergii enigma (Greater Crested Tern) 1c - Madagascar & Mozambique/Southern Africa 1c Family STERCORARIIDAE (skuas) 1 Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | | | | |
| Thalasseus bergii enigma (Greater Crested Tern) 1c - Madagascar & Mozambique/Southern Africa 1c Family STERCORARIIDAE (skuas) 1c Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | | 10 | | |
| - Madagascar & Mozambique/Southern Africa 1c Family STERCORARIIDAE (skuas) | | 10 | | |
| Family STERCORARIIDAE (skuas) Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | | 10 | | |
| Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | - madagastar & mozamorque/soumern Amta | 10 | | |
| Stercorarius longicaudus longicaudus (Long-tailed Jaeger) 1 | Family STERCORARIIDAE (skuas) | | | |
| | | | | 1 |
| | | | 1 | |
| | | | | |
| Family ALCIDAE (auks) | Family ALCIDAE (auks) | | | |
| Fratercula arctica (Atlantic Puffin) | | | | |
| - Hudson bay & Maine E to S Greenland, Iceland, Bear Is, Norway | | v | | 1 |

| Populations | Α | В | С |
|--|----|----|---|
| to S Novaya Zemlya | | | |
| - NE Canada, N Greenland, to Jan Mayen, Svalbard, N Novaya | 3a | | |
| Zemlya | | | |
| - Faeroes, S Norway & Sweden, Britain, Ireland, NW France | | | 1 |
| Cepphus grylle grylle (Black Guillemot) | | | |
| - Baltic Sea | | 1 | |
| Cepphus grylle mandtii (Black Guillemot) | | | |
| - Arctic E North America to Greenland, Jan Mayen & Svalbard E | | 1 | |
| through Siberia to Alaska | | | |
| Cepphus grylle arcticus (Black Guillemot) | | | |
| - N America, S Greenland, Britain, Ireland, Scandinavia, White | | 1 | |
| Sea | | | |
| Cepphus grylle islandicus (Black Guillemot) | | | |
| - Iceland | 3c | | |
| Cepphus grylle faeroeensis (Black Guillemot) | | | |
| - Faeroes | | 1 | |
| Alca torda torda (Razorbill) | | | |
| - E North America, Greenland, E to Baltic & White Seas | | | 1 |
| Alca torda islandica (Razorbill) | | | |
| - Iceland, Faeroes, Britain, Ireland, Helgoland, NW France | | | 1 |
| Alle alle (Little Auk) | | | |
| - High Arctic, Baffin Is – Novaya Zemlya | | | 1 |
| Uria lomvia lomvia (Thick-billed Murre) | | | |
| - E North America, Greenland, E to Severnaya Zemlya | | 2c | |
| Uria aalge aalge (Common Murre) | | | |
| - E North America, Greenland, Iceland, Faeroes, Scotland, S | | 2c | |
| Norway, Baltic | | | |
| Uria aalge albionis (Common Murre) | | | |
| - Ireland, S Britain, France, Iberia, Helgoland | | | 1 |
| Uria aalge hyperborea (Common Murre) | | | |
| - Svalbard, N Norway to Novaya Zemlya | | | 1 |